

NEWTON  
2025  
CONNECTIONS  
FOR  
THE  
FUTURE  
OF  
LEARNING  
AND  
TEACHING



AZzardo®

New collection 2022



## BULGARIA

VISTA\_G LTD

tel.: +359 32 655 877  
mobile: +359 885 388 003  
e-mail: sales@iml.bg  
• www.vista-g.com



## CROATIA REP. OF BOSNIA AND HERZEGOVINA MONTENEGRO

REMBOL D.O.O.

KOPERNIKOVA 5; 10000 ZAGREB

tel.: +91 222 02 29  
tel.: +91 520 12 54  
e-mail: info@azzardo.com.hr  
• www.azzardo.com.hr



## CZECH REPUBLIC

AZZARDO LIGHTING S.R.O.

tel.: +421 41 565 22 56  
e-mail: info@azzardo.sk  
• www.azzardodesign.com



## HUNGARY

ELTER LTD.

tel.: +36 74 510 348  
e-mail: info@elter.hu  
• www.elter.hu



## ICELAND

PFAFF

tel.: +354 414 0400  
fax: +354 414 0401  
e-mail: pfaff@pfaff.is  
• www.pfaff.com



## ITALY

LEONARDO ANICETO

tel.: +39 3931212029  
e-mail: aniceto.staff@gmail.com

LEONARDO ANICETO

tel.: +39 3931212029  
e-mail: aniceto.staff@gmail.com



## NETHERLANDS

HENNIE BUKKEMS

tel.: +31 6201 36811  
e-mail: bukkemsagenturen@gmail.com



## POLAND

TORINO HOLDING S.A.

tel.: +48 61 849 40 80  
fax: +48 61 849 40 84  
e-mail: biuro@lampy.it  
• www.azzardolighting.com



## PORTUGAL

DOMOLED

NÚCLEO EMPRESARIAL  
DA ABRUNHEIRA ZONA  
POENTE PAV.4, 2710-089 SINTRA

tel.: +351 219 111 201  
tel.: +351 911 003 235  
e-mail: geral@domoled.pt  
• www.domoled.pt



## ROMANIA

JACEK KREMPIŃSKI

tel.: +48 518 543 875  
e-mail: jacekkrempinski@gmail.com



## SLOVAKIA

AZZARDO LIGHTING S.R.O.

TEL.: +421 41 565 22 56  
e-mail: info@azzardo.sk  
• www.azzardodesign.com



## UKRAINE

ELEKOMP

m. KYIV, provulok Lukianivsky 11B

fax: +38 063 263 30 64  
tel.: +38 067 353 3757  
e-mail: elekomp.project@gmail.com  
• www.elekomp.com.ua

PROFORMA

KYIV, EKSKAVATORNA 24

tel.: +38 098 193 22 22  
tel.: +38 097 083 81 53  
e-mail: zakaz@proforma.kiev.ua  
• www.proforma.kiev.ua



## UNITED KINGDOM AND IRELAND

IAN DORMER

tel.: 07745 763251  
e-mail: ian@eurolamps.uk

AUTHORISED POINT OF SALE

PF FURNITURE LTD

UNIT A PRESTWICH INDUSTRIAL ESTATE

COAL PIT LN

ATHERTON, M46 OFY

MANCHESTER

tel.: +44 073 839 768 12  
tel.: +44 019 428 717 37  
e-mail: sales@pffurniture.co.uk

**AZzardo**<sup>®</sup>

DECORATIVE

[www.azzardolighting.com](http://www.azzardolighting.com)




# decorative

Amber Milano . . . . .	22	Silver Ball. . . . .	28
Brighton . . . . .	12	Solen 6 . . . . .	2
Cortega. . . . .	9	Solvent R Pendant CCT SMART. . . . .	54
Cream SMART . . . . .	58	Solvent R Top CCT SMART . . . . .	52
Davinci . . . . .	32	Solvent S Pendant CCT SMART. . . . .	50
Flash 130. . . . .	21	Solvent S Top CCT SMART . . . . .	48
Halo . . . . .	11	Sovana Pendant CCT SMART . . . . .	57
Halo Top . . . . .	10	Sovana Top CCT SMART . . . . .	56
Helena . . . . .	24	Sybilla . . . . .	26
Helios 6. . . . .	3	Thin CCT SMART . . . . .	62
Lenox 40 SMART . . . . .	64	Trinton . . . . .	31
Norman. . . . .	20	Veneti. . . . .	34
Opera. . . . .	19	Vera . . . . .	30
Oviedo . . . . .	8	Vinca . . . . .	36
Sandra . . . . .	6	Waves . . . . .	18
Santander . . . . .	4	Zyta . . . . .	14

# Solen 6

new

2



## Solen 6

**AZ4700**

(black/gold)

E14 6x Max 40W  
metal/glass



# Helios 6

3


new



1 BLACK



2 GOLD



## Helios 6

- 1 AZ4698 (black)
- 2 AZ4699 (gold)

E14 x Max 40W  
metal/glass



# Santander

new


4



1 BLACK





2 GOLD



# Santander

5

new



## Santander

- ❶ AZ4418 (black)
- ❷ AZ4419 (gold)

G9 4x Max 5W  
metal/glass



# Sandra

DIMM

new 6





1 BLACK



2 WHITE



3 GOLD






# Sandra

## DIMM

7

new




**Sandra 1 dimm** (LED)

**AZ3351**

(black)

LED 36W 3600lm 3000K dimmable  
glass/acrylic



**Sandra 3 dimm** (LED)

- 1 **AZ3352** (black)
- new 2 **AZ4426** (white)
- new 3 **AZ4427** (gold)

LED 48W 4800lm DIMM 3000K  
metal/glass

# Oviedo

new


8



1 BLACK / BLACK




2 GOLD / BLACK



## Oviedo 6

- 1 AZ4420 (black/black)
- 2 AZ4421 (gold/black)

G9 6x Max 5W  
metal glass



## Oviedo 8

- 1 AZ4422 (black/black)
- 2 AZ4423 (gold/black)

G9 8x Max 5W  
metal glass



# Cortega

9


new



1 BLACK



2 GOLD



## Cortega

- 1 AZ4424 (black)
- 2 AZ4425 (gold)

G9 3x Max 5W  
metal glass





# Halo TOP


new 10



1 BLACK




2 GOLD



## Halo 60 Top

- 1 AZ4701 (black)
- 2 AZ4702 (gold)

LED 42W 3600lm 3000K-6000K  
metal/acryl



## Halo 80 Top

- 1 AZ4703 (black)
- 2 AZ4704 (gold)

LED 55W 4700lm 3000K-6000K  
metal/acryl



# Halo

11


new



1 BLACK




2 GOLD



## Halo 40 Wall

- 1 AZ4705 (black)
- 2 AZ4706 (gold)

LED 28W 2200lm 3000K-6000K  
metal/acryl



## Halo Pendant 100+80+60

- 1 AZ4707 (black)
- 2 AZ4708 (gold)


LED 130W 11100lm 3000K  
aluminium/acrylic



# Brighton

new

12



## Brighton 3 LED

- 1 AZ1609 (chrome)
- new 2 AZ4428 (black)
- new 3 AZ4429 (gold)

LED 55W 3300lm  
3000K  
metal crystals




# Brighton

13

new



1 CHROME



2 BLACK



3 GOLD

# Zyta

new

14



1 WHITE



2 BLACK



3 GREY



4 BLACK/ALU




ZYTA 2 S + SHADE ZA BK



ZYTA S TABLE + SHADE ZA BK




\*Shades exchanging not available for this lamp



### Zyta Wall XS

- 1 AZ1533 (white)
- 2 AZ1565 (black)
- 3 AZ2491 (grey)

1x E27 MAX 60W  
fabric/metal



### Zyta Wall XS

- new 4 AZ4793 (black/alu black)


1x E27 MAX 60W  
fabric/metal



# Lamp bodies

# Shades

# = Bodies + Shades



## Zyta S Pendant

LAMP BODY


**AZ1845** (black/alu)

E27 1x Max 60W  
aluminium



## Shade ZF GR


- AZ2598** . . . . . Ø 20 (grey)
- AZ2601** . . . . . Ø 26 (grey)
- AZ2583** . . . . . Ø 30 (grey)
- AZ2604** . . . . . Ø 36 (grey)



## Zyta S Pendant

LAMP BODY + SHADES

- **AZ1845** + **AZ2601** or
- **AZ1845** + **AZ2600** or
- **AZ1845** + **AZ2602** or
- **AZ1845** + **AZ2594** or
- **AZ1845** + **AZ4779**



## Zyta S Wall

LAMP BODY


**AZ1844** (black/alu)

E27 1x Max 60W  
aluminium



## Shade ZF BK


- AZ2597** . . . . . Ø 20 (black)
- AZ2600** . . . . . Ø 26 (black)
- AZ2586** . . . . . Ø 30 (black)
- AZ2603** . . . . . Ø 36 (black)



## Zyta S Wall

LAMP BODY + SHADES

- **AZ1844** + **AZ2598** or
- **AZ1844** + **AZ2597** or
- **AZ1844** + **AZ2599** or
- **AZ1844** + **AZ2593** or
- **AZ1844** + **AZ4778**



## Zyta 2S Pendant

LAMP BODY


**AZ1846** (black/alu)

E27 2x Max 60W  
aluminium



## Shade ZF WH


- AZ2599** . . . . . Ø 20 (white)
- AZ2602** . . . . . Ø 26 (white)
- AZ2588** . . . . . Ø 30 (white)
- AZ2605** . . . . . Ø 36 (white)



## Zyta 2S Pendant

LAMP BODY + SHADES

- **AZ1846** + 2x **AZ2601** or
- **AZ1846** + 2x **AZ2600** or
- **AZ1846** + 2x **AZ2602** or
- **AZ1846** + 2x **AZ2594** or
- **AZ4846** + 2x **AZ4779**



## Zyta S Table

LAMP BODY

**AZ1848** (black/alu)

E27 1x Max 60W  
aluminium



## Shade ZA ALU


- AZ2593** . . . . . Ø 18 (aluminium)
- AZ2594** . . . . . Ø 23 (aluminium)
- AZ2596** . . . . . Ø 33 (aluminium)



## Zyta S Table

LAMP BODY + SHADES

- **AZ1848** + **AZ2598** or
- **AZ1848** + **AZ2597** or
- **AZ1848** + **AZ2599** or
- **AZ1848** + **AZ2593** or
- **AZ1848** + **AZ4778**



## Zyta M Pendant

LAMP BODY


**AZ1847** (black/alu)

E27 1x Max 60W  
aluminium



## Shade ZA BK


- new AZ4778** . . . . . Ø 18 (aluminium)
- new AZ4779** . . . . . Ø 23 (aluminium)
- new AZ4781** . . . . . Ø 33 (aluminium)



## Zyta M Pendant

LAMP BODY + SHADES

- **AZ1847** + **AZ2604** or
- **AZ1847** + **AZ2603** or
- **AZ1847** + **AZ2605** or
- **AZ1847** + **AZ2596** or
- **AZ1847** + **AZ4781**




## Zyta Floor

LAMP BODY

**AZ1849** (black/alu)

E27 1x Max 60W  
aluminium



## Zyta Floor

LAMP BODY + SHADES

- **AZ1849** + **AZ2604** or
- **AZ1849** + **AZ2603** or
- **AZ1849** + **AZ2605** or
- **AZ1849** + **AZ2596** or
- **AZ1849** + **AZ4781**

# Zyta

new 16



1 WHITE



2 BLACK



3 GREY



4 BLACK/ALU



5 GOLD/ALU




ZYTA S WALL + SHADE ZA GOLD


ZYTA S + SHADE ZA GOLD

ZYTA S TABLE + SHADE ZA GOLD

\*Shades exchanging not available for this lamp



Ø 20



Ø 18

## Zyta Wall XS

- new 1 **AZ4187** (black/gold white)
- new 2 **AZ4185** (black/gold black)

1x E27 MAX 60W  
fabric/metal

## Zyta Wall XS

- new 4 **AZ4792** (black/gold black)
- new 5 **AZ4186** (black/gold gold)


1x E27 MAX 60W  
fabric/metal



# Lamp bodies

# Shades

# = Bodies + Shades



31÷130  
12

**Zyta S Pendant**  
LAMP BODY

**new AZ4189** (black/gold)

70÷118

E27 1x Max 60W  
aluminium




48÷92

**Zyta S Wall**  
LAMP BODY

**new AZ4190** (black/gold)

48÷92

E27 1x Max 60W  
aluminium




22÷115

**Zyta 2S Pendant**  
LAMP BODY

**new AZ4191** (black/gold)

70÷250

E27 2x Max 60W  
aluminium




48÷79

**Zyta S Table**  
LAMP BODY

**new AZ4188** (black/gold)

22  
40÷60

E27 1x Max 60W  
aluminium



30÷162

**Zyta M Pendant**  
LAMP BODY

**new AZ4192** (black/gold)

15÷147

E27 1x Max 60W  
aluminium



128÷250

**Zyta Floor**  
LAMP BODY

**new AZ4193** (black/gold)

21  
30÷127

E27 1x Max 60W  
aluminium



## Shade ZF BK

- AZ2597** . . . . . Ø 20 (black)
- AZ2600** . . . . . Ø 26 (black)
- AZ2586** . . . . . Ø 30 (black)
- AZ2603** . . . . . Ø 36 (black)



## Shade ZF WH

- AZ2599** . . . . . Ø 20 (white)
- AZ2602** . . . . . Ø 26 (white)
- AZ2588** . . . . . Ø 30 (white)
- AZ2605** . . . . . Ø 36 (white)




## Shade ZA GOLD

- new AZ4789** . . . . . Ø 18 (aluminium)
- new AZ4790** . . . . . Ø 23 (aluminium)
- new AZ4791** . . . . . Ø 33 (aluminium)




## Shade ZA BK

- new AZ4778** . . . . . Ø 18 (aluminium)
- new AZ4779** . . . . . Ø 23 (aluminium)
- new AZ4781** . . . . . Ø 33 (aluminium)




## Zyta S Pendant

- LAMP BODY + SHADES
- AZ4189** + **AZ4790** or
  - AZ4189** + **AZ2600** or
  - AZ4189** + **AZ4602** or
  - AZ4189** + **AZ4779**




## Zyta S Wall

- LAMP BODY + SHADES
- AZ4190** + **AZ4789** or
  - AZ4190** + **AZ2599** or
  - AZ4190** + **AZ4779** or
  - AZ4190** + **AZ4778**




## Zyta 2S Pendant

- LAMP BODY + SHADES
- AZ4191** + 2x **AZ4779** or
  - AZ4191** + 2x **AZ2602** or
  - AZ4191** + 2x **AZ4790** or
  - AZ4191** + 2x **AZ4779**




## Zyta S Table

- LAMP BODY + SHADES
- AZ4190** + **AZ4791** or
  - AZ4190** + **AZ2599** or
  - AZ4190** + **AZ2593** or
  - AZ4190** + **AZ4778**



## Zyta M Pendant

- LAMP BODY + SHADES
- AZ4192** + **AZ4781** or
  - AZ4192** + **AZ2603** or
  - AZ4192** + **AZ2605** or
  - AZ4192** + **AZ4791**



## Zyta Floor

- LAMP BODY + SHADES
- AZ4193** + **AZ4781** or
  - AZ4193** + **AZ2605** or
  - AZ4193** + **AZ4791** or
  - AZ4193** + **AZ4781**



# Waves

DIMM

new 18



1 BLACK




2 WHITE



new 3 GOLD



READY DIMM POWER



## Waves LED

- 1 AZ2912 (black)
- 2 AZ2913 (white)
- new 3 AZ4058 (gold)

LED 70W 4900lm 3000K DIMM  
aluminium/acrylic



# Opera WALL


19

new



1 BLACK


new



2 GOLD




3 WHITE



## Opera XL LED

- 1 AZ3139 (black)
- 2 AZ3140 (gold)

LED 329W 19740lm 3000K  
aluminium/acrylic



## Opera Wall LED

- 1 AZ3141 (black)
- new 2 AZ4321 (gold)
- 3 AZ3142 (white)

LED 18W 1000lm 3000K  
aluminium/acryl







# Norman

new 20




1 BLACK



1 WHITE




2 WOOD



Norman Wall XL LED

- new 1 AZ4179 (black)
- 2 AZ1685 (white)


LED 23W 1200lm 3000K  
metal acryl



Norman Wall L LED

- new 1 AZ4177 (black)
- 2 AZ1684 (white)


LED 17W 1000lm 3000K  
metal acryl



Norman Wall M LED

- new 1 AZ4178 (black)
- 2 AZ1683 (white)

LED 13W 800lm 3000K  
metal acryl



Norman XL LED

- new 1 AZ4180 (black)
- 2 AZ1685 (white)
- 3 AZ1686 (wood)


LED 29W 1700lm 3000K  
metal



# Flash 130

21

new




**Flash 130** LED

**AZ4416**

(black)

LED 54W 4400lm 3000K  
metal acryl




**Flash** LED

**AZ3203**

(black)

LED 70W 5700lm 3000K  
metal acryl



# Amber MILANO

new


22



1 CHROME




2 CLEAR



3 COPPER




3 BRASS



### Amber milano 1

- 1 AZ2148 (chrome)
- 2 AZ3074 (clear)
- 3 AZ3077 (copper)


G9 1x 40W only LED  
metal/chrome/glass



### Amber milano 3

- 1 AZ2149 (chrome)
- 2 AZ3075 (clear)
- 3 AZ3078 (copper)


G9 3x 40W only LED  
metal/chrome/glass



### Amber milano 5

- 1 AZ0722 (chrome)
- 2 AZ3076 (clear)
- 3 AZ3172 (copper)

G9 5x 40W only LED  
metal/chrome/glass



### Amber milano 9

- ① **AZ3673** (chrome)
- ② **AZ3102** (clear)
- ③ **AZ3134** (copper)
- new** ④ **AZ4014** (brass)

G9 9x 40W only LED  
metal/chrome/glass


ROOF LINING FOR AMBER MILANO 5



# Helena

new

24




**Helena A** LED

**AZ3341**

(brass)

LED 21W 1785lm 3000K  
metal/brass/glass




**Helena B** LED

**AZ3342**

(brass)

LED 14W 1190lm 3000K  
metal/brass/glass



**Helena C** LED

**AZ4668**

(brass)

LED 23W 1200lm 3000K  
metal/glass



AZzardo®



# Helena

25

new



# Sybillia

new

26



1 CHROME

new




2 BLACK

new




3 GOLD



**Sybillia 3 table**

**AZ2103**

G9 3x Max 25W  
metal/chrome




**Sybillia 6 floor**

1 **AZ2101** (chrome)

new 2 **AZ4405** (black)

new 3 **AZ4408** (gold)

G9 6x Max 25W  
metal/glass



**Sybillia 7 pendant**

1 **AZ2102** (chrome)

new 2 **AZ4406** (black)

new 3 **AZ4409** (gold)


G9 7x Max 25W  
metal/glass



## Sybilla

27

new

**Sybilla 10 pendant**

- 1 **AZ2100** (chrome)
- new 2 **AZ4404** (black)
- new 3 **AZ4407** (gold)


G9 10x Max 25W  
metal/glass





# Silver ball


28



**Silver Ball 18**

**AZ0731**


E27 1x 60W  
metal/chrome/glass



**Silver Ball 25**

**AZ0733**


E27 1x 60W  
metal/chrome/glass



**Silver Ball 35**

**AZ0732**

E27 1x 60W  
metal/chrome/glass



**Silver Ball 40**


**AZ0734**

E27 1x 60W  
metal/chrome/glass

# Silver ball


29

new




**Silver Ball 4**

**AZ2531**  
4x E27 60W  
metal/chrome/glass



**Silver Ball 3**

**AZ4750** (chome)  
E27 3x Max 40W  
metal/glass



**Silver Ball 3 line**

**AZ4751** (chome)  
E27 3x Max 40W  
metal/glass



# Vera


new 30



1 WHITE



2 BLACK



## Vera

- new 1 AZ4417 (white)
- 2 AZ3201 (black)

LED 6W + 5W  
500lm + 250lm 3000K  
metal acrylic

# Trinton

31

new


new



1 BLACK




2 CHROME



## Trinton

- new 1 AZ4753 (black)
- 2 AZ0024 (chrome)


E14 3x 40W  
metal/chrome



### Davinci 48 LED

- ❶ AZ2648 (chrome)
- ❷ AZ2649 (sandy nickel)
- ❸ AZ2650 (golden)
- ❹ AZ2651 (black chrome)
- new** ❺ AZ4262 (matt black)

LED 8W 500lm 3000K RA>90  
metal acryl



### Davinci 58 LED

- ❶ AZ2652 (chrome)
- ❷ AZ2653 (sandy nickel)
- ❸ AZ2654 (golden)
- ❹ AZ2655 (black chrome)
- new** ❺ AZ4263 (matt black)

LED 10W 700lm 3000K RA>90  
metal acryl



# Davinci

33

new



1 CHROME



2 SANDY NICKEL




3 GOLDEN



4 BLACK CHROME




5 MATT BLACK



**Davinci 70** LED

- 1 AZ2656 (chrome)
- 2 AZ2657 (sandy nickel)
- 3 AZ2658 (golden)
- 4 AZ2659 (black chrome)

LED 12W 835lm 3000K RA>90  
metal



**Davinci 90** LED

- 1 AZ2660 (chrome)
- 2 AZ2661 (sandy nickel)
- 3 AZ2662 (golden)
- 4 AZ2663 (black chrome)
- new 5 AZ4264 (matt black)

LED 16W 1200lm 3000K RA>90  
metal

## Remote control

Veneti  
CCT

new

34



The maximum brightness in 4000K colour temp.

DIMM – reduce the brightness of the light

Turn on / off the light

Turn off the fan

Rotations' direction (SUMMER / WINTER function)

Rotations' speed 1-6

Natural wind (medium speed)

Automatic shutdown (2h or 6h)

DIMM – increase the brightness of the light

CCT- color change (3000K / 4000K / 5000K)

## FAN

Speed  
Power  
Material

Adjustable 1-6  
38W  
metal / polywood

## LAMP


Power  
CCT  
Source

18W  
3000K / 4000K / 5500K  
240V / 110V

## Rotations' direction (SUMMER / WINTER) function

☀ SUMMER

❄ WINTER



## Dimmable function 10-100%



## Installation variants



LED LAMP



NO LED LAMP  
END CUP INCLUDED



Veneti CCT

35

new



1 WHITE/OAK



2 BLACK/BLACK




3 BRONZE/WALNUT



4 BLACK/TEAK WOOD



5 WHITE/WHITE



**Veneti CCT** LED  
+ Remote Control

- 1 **AZ4447** (white/oak)
- 2 **AZ4448** (black/black)
- 3 **AZ4449** (bronze/walnut)
- 4 **AZ4450** (black/teak wood)
- 5 **AZ4451** (white/white)

LED 18W 1400lm 3000K  
aluminium



## Remote control

Vinca  
CCT

new 36



- Turn off the fan
- Rotations' direction (SUMMER / WINTER function)
- Rotations' speed 1-6
- Natural wind (medium speed)
- Automatic shutdown (2h or 6h)
- DIMM – increase the brightness of the light
- CCT- color change (3000K / 4000K / 5000K)
- Turn on / off the light
- DIMM – reduce the brightness of the light
- The maximum brightness in 4000K colour temp.

### FAN

Speed Adjustable 1-6  
 Power 38W  
 Material metal / polywood

### LAMP


Power 18W  
 CCT 3000K / 4000K / 5500K  
 Source 240V / 110V

## Rotations' direction (SUMMER / WINTER) function


☀ SUMMER



❄ WINTER



## Dimmable function 10-100%



## Installation variants



LED LAMP




NO LED LAMP  
END CUP INCLUDED



Vinca CCT

37


new



1 BLACK/BLACK




2 WHITE/WHITE



**Vinca CCT LED + Remote Control**

- 1 AZ4452 (black/black)
- 2 AZ4453 (white/white)

LED 18W 1400lm 3000K  
aluminium



aqua



Kari

new 40


IP44



1 CHROME




new 2 BLACK



Kari 22 LED

- 1 AZ2065 (chrome)
- new 2 AZ4257 (matt black)

LED 12W 400lm 3000K IP44  
glass/metal



Kari 30 LED

- 1 AZ2066 (chrome)
- new 2 AZ4258 (matt black)

LED 18W 700lm 3000K IP44  
glass/metal



LUCIE

41

new


IP44



1 BLACK




2 CHROME/WHITE



Lucie 25

- new 1 AZ4146 (black)
- 2 AZ1308 (chrome/white)

E27 3x Max 40W Only LED IP44  
acryl/metal chrome



Lucie 43

- new 1 AZ4147 (black)
- 2 AZ1309 (chrome/white)

E27 3x Max 40W Only LED IP44  
acryl/metal chrome



# Noemie

new 42


## IP44



1 BLACK




2 CHROME



### Noemie 2

- new 1 AZ4137 (black)
- 2 AZ2555 (chrome)


GU10 2x Max 35W IP44  
metal / frosted glass



### Noemie 3 Round

- AZ2556  
(chrome)

GU10 Max 3x35W IP44  
frosted glass



### Noemie 4

- AZ2557  
(chrome)

GU10 Max 4x35W IP44  
frosted glass





### Noemie 1

- new 1 AZ4136** (black)
- 2 AZ1310** (chrome)

GU10 1x Max 35W IP44  
metal / frosted glass



### Noemie 3

- new 1 AZ4138** (black)
- 2 AZ1306** (chrome)

GU10 3x Max 35W IP44  
metal / frosted glass





Slim SQUARE

new 44


IP44



1 BLACK




2 WHITE



Slim square 9 LED

- 1 AZ2833 black (3000K)
- 2 AZ2830 white (3000K)
- new 1 AZ4375 black (4000K)
- new 2 AZ4376 white (4000K)


LED 6W 500lm IP44 RA>90 aluminium / acryl



Slim square 15 LED

- 1 AZ2836 black (3000K)
- 2 AZ2837 white (3000K)
- new 1 AZ4377 black (4000K)
- new 2 AZ4378 white (4000K)

LED 12W 1000lm IP44 RA>90 aluminium / acryl



Slim square 22 LED

- new 1 AZ4169 black (3000K)
- new 2 AZ4170 white (3000K)
- new 1 AZ4331 black (4000K)
- new 2 AZ4332 white (4000K)

LED 24W 2000lm IP44 RA>90 aluminium / acryl



Slim  
ROUND

45

new

IP44




Ø 8,5

**Slim round 9** LED

- 1 **AZ2834** black (3000K)
- 2 **AZ2831** white (3000K)
- 3 **AZ2861** chrome (3000K)
- 1 **AZ2835** black (4000K)
- 2 **AZ2832** white (4000K)
- 3 **AZ2862** chrome (4000K)

LED 6W 500lm IP44 RA>90  
aluminium / acryl




Ø 14,5

**Slim round 15** LED

- 1 **AZ2840** black (3000K)
- 2 **AZ2839** white (3000K)
- 3 **AZ2838** chrome (3000K)
- 1 **AZ2843** black (4000K)
- 2 **AZ2832** white (4000K)
- 3 **AZ2841** chrome (4000K)

LED 12W 1000lm IP44 RA>90  
aluminium / acryl



Ø 22,5

**Slim round 22** LED

- new 1 **AZ4163** black (3000K)
- new 2 **AZ4165** white (3000K)
- new 1 **AZ4164** black (4000K)
- new 2 **AZ4166** white (4000K)

LED 24W 2000lm IP44 RA>90  
aluminium / acryl




1 BLACK



2 WHITE



3 CHROME



smart





# Solvent CCT SMART

new 48



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



## Solvent S Top CCT SMART 45 + Remote Control LED

- 1 AZ4004 (grey)
- 2 AZ4003 (white)
- 3 AZ4002 (black)

LED 32W 2700lm CCT  
steel/acryl



## Solvent S Top CCT SMART 60 + Remote Control LED

- 1 AZ4007 (grey)
- 2 AZ4006 (white)
- 3 AZ4005 (black)


LED 42W 3300lm CCT  
steel/acryl



# Solvent CCT SMART

49


new



## Solvent S Top CCT SMART 80 + Remote Control LED

- ① AZ4010 (grey)
- ② AZ4009 (white)
- ③ AZ4008 (black)

LED 92W 4700lm CCT  
steel/acryl



## Solvent S Top CCT SMART 110 + Remote Control LED

- ① AZ4013 (grey)
- ② AZ4012 (white)
- ③ AZ4011 (black)

LED 120W 7700lm CCT  
steel/acryl





# Solvent CCT SMART

new 50



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



**Solvent S Pendant CCT SMART 45 + Remote Control** LED

- 1 AZ3980 (grey)
- 2 AZ3979 (white)
- 3 AZ3978 (black)

LED 32W 2700lm CCT  
steel/acryl



**Solvent S Pendant CCT SMART 60 + Remote Control** LED

- 1 AZ3983 (grey)
- 2 AZ3982 (white)
- 3 AZ3981 (black)


LED 42W 3300lm CCT  
steel/acryl



# Solvent CCT SMART

51


new



## Solvent S Pendant CCT SMART 80 + Remote Control **LED**

- ❶ **AZ3986** (grey)
- ❷ **AZ3985** (white)
- ❸ **AZ3984** (black)

LED 92W 4700lm CCT  
steel/acryl



## Solvent S Pendant CCT SMART 110 + Remote Control **LED**

- ❶ **AZ3989** (grey)
- ❷ **AZ3988** (white)
- ❸ **AZ3987** (black)

LED 120W 7700lm CCT  
steel/acryl





# Solvent CCT SMART

new

52



1 GREY



2 WHITE



3 BLACK




**CCT = 3000÷6000K Dimmable Remote Control**



### Solvent R Top CCT SMART 45 + Remote Control LED

- 1 **AZ3992** (grey)
- 2 **AZ3991** (white)
- 3 **AZ3990** (black)

LED 32W 2700lm CCT  
steel/acryl



### Solvent R Top CCT SMART 60 + Remote Control LED

- 1 **AZ3995** (grey)
- 2 **AZ3994** (white)
- 3 **AZ3993** (black)


LED 42W 3300lm CCT  
steel/acryl



# Solvent CCT SMART

53


new



## Solvent R Top CCT SMART 80 + Remote Control LED

- 1 AZ3998 (grey)
- 2 AZ3997 (white)
- 3 AZ3996 (black)

LED 92W 4700lm CCT  
steel/acryl



## Solvent R Top CCT SMART 110 + Remote Control LED

- 1 AZ4001 (grey)
- 2 AZ4000 (white)
- 3 AZ3999 (black)

LED 120W 7700lm CCT  
steel/acryl





# Solvent CCT SMART

new

54



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



## Solvent R Pendant CCT SMART 45 + Remote Control LED

- 1 AZ3968 (grey)
- 2 AZ3967 (white)
- 3 AZ3966 (black)

LED 32W 2700lm CCT  
steel/acryl



## Solvent R Pendant CCT SMART 60 + Remote Control LED

- 1 AZ3971 (grey)
- 2 AZ3970 (white)
- 3 AZ3969 (black)


LED 42W 3300lm CCT  
steel/acryl



Solvent  
CCT SMART

55


new



**Solvent R Pendant CCT SMART 80 + Remote Control** LED

- ❶ **AZ3974** (grey)
- ❷ **AZ3973** (white)
- ❸ **AZ3972** (black)

LED 92W 4700lm CCT  
steel/acryl



**Solvent R Pendant CCT SMART 110 + Remote Control** LED

- ❶ **AZ3977** (grey)
- ❷ **AZ3976** (white)
- ❸ **AZ3975** (black)

LED 120W 7700lm CCT  
steel/acryl





# Sovana CCT SMART

new

56



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Sovana Top 45 CCT SMART (LED)

- 1 AZ3441 (grey)
- 2 AZ3439 (white)
- 3 AZ3440 (black)

LED 40W 2200lm CCT  
aluminium/acryl



Sovana Top 55 CCT SMART (LED)

- 1 AZ3550 (grey)
- 2 AZ3548 (white)
- 3 AZ3549 (black)

LED 50W 2750lm CCT  
aluminium/acryl



# Sovana CCT SMART

57

new




1 GREY



2 WHITE




3 BLACK



## Sovana Pendant 45 CCT SMART LED

- 1 **AZ3444** (grey)
- 2 **AZ3442** (white)
- 3 **AZ3443** (black)

LED 40W 2200lm CCT  
aluminium/acryl



## Sovana Pendant 55 CCT SMART LED

- 1 **AZ3553** (grey)
- 2 **AZ3551** (white)
- 3 **AZ3552** (black)

LED 50W 2750lm CCT  
aluminium/acryl





# Cream SMART

new

58



1 BLACK



2 WHITE




CCT = 3000÷6000K Dimmable Remote Control



**Cream 40  
Top SMART** LED

- 1 AZ3533 (black)
- 2 AZ3534 (white)

LED 24W 1500-1850lm CCT  
aluminium/PC



**Cream 60  
Top SMART** LED

- 1 AZ3297 (black)
- 2 AZ3298 (white)

LED 53W 2850lm CCT  
aluminium/PC



**Cream 78  
Top SMART** LED

- 1 AZ3304 (black)
- 2 AZ3305 (white)

LED 52W 4350-4700lm CCT  
aluminium/PC



Cream  
SMART

59

new



5 |



Ø 100

**Cream 100  
Top SMART** LED

- ❶ AZ3307 (black)
- ❷ AZ3308 (white)

LED 70W 6300-6400lm CCT  
aluminium/PC

5 |



Ø 120

**Cream 120  
Top SMART** LED

- ❶ AZ3535 (black)
- ❷ AZ3536 (white)

LED 83W 6300 - 6600lm CCT  
aluminium/PC





# Cream SMART

new 60




1 BLACK



2 WHITE



CCT = 3000÷6000K Dimmable Remote Control




## Cream 78 Pendant SMART

LED

- 1 AZ3386 (black)
- 2 AZ3287 (white)

LED 52W 4350-4700lm CCT  
aluminium/PC



## Cream 100 Pendant SMART

LED


- 1 AZ3289 (black)
- 2 AZ3290 (white)

LED 70W 6300-6400lm CCT  
aluminium/PC

Cream  
SMART

61

new

**Cream 120  
Pendant SMART** LED

- 1 **AZ3537** (black)
- 2 **AZ3538** (white)

LED 83W 6300 - 6600lm CCT  
aluminium/PC





Thin CCT SMART

new 62




1 BLACK



2 WHITE



CCT = 2600÷6000K Dimmable Remote Control



Thin Round CCT SMART LED

- 1 AZ3432 (black)
- 2 AZ3431 (white)

LED 50W 4000lm  
aluminium/PC





Thin CCT SMART

63

new




CCT = 2600÷6000K Dimmable Remote Control



1 BLACK



2 WHITE



Thin Square CCT SMART LED

- 1 AZ3430 (black)
- 2 AZ3429 (white)

LED 50W 4000lm  
aluminium/PC






Lenox  
CCT SMART

new

64



CCT = 2600÷6000K Dimmable Remote Control



Lenox Top 40 SMART + Remote Control 

**AZ3145**

(black/copper)

LED 24W 1720lm CCT RGB

aluminium/PC




Lenox  
CCT SMART

65

new



CCT = 2600÷6000K Dimmable Remote Control



Lenox Pendant 40 SMART+ Remote Control **RGB**

**AZ3147**

(black/copper)

LED 24W 1720lm CCT RGB

aluminium/PC

# index outdoorline

AFI IP54 . . . . .	112	GORAN . . . . .	89
ALF IP65 . . . . .	114	HAVANA IP44 . . . . .	132
ALIX IP65 . . . . .	74	IKA IP65. . . . .	80
APULIA IP54. . . . .	72	JAKE IP54. . . . .	87
ARBAX IP54 . . . . .	98	JOE IP54 . . . . .	92
ARIDA IP54 . . . . .	99	LARS IP54. . . . .	104
BOOMBOX IP44 . . . . .	134	LETICIA 2 LED IP54 . . . . .	101
CASOLA IP54 . . . . .	96	MIKKEL IP54 . . . . .	118
CASORIA IP54. . . . .	110	NIKLAS IP44 . . . . .	116
CASPER ROUND IP54 . . . . .	71	NILS IP44 . . . . .	126
CASPER SQUARE IP54 . . . . .	70	NILS IP65 . . . . .	120
CIVITA IP54 . . . . .	106	OSVALD IP44 . . . . .	121
COSEL IP54 . . . . .	97	OVE WALL IP54 . . . . .	113
CREMONA IP54 . . . . .	102	PAPIKO IP65 . . . . .	73
EDVIN IP65 . . . . .	130	PEDER IP54 . . . . .	88
EDWARD IP65. . . . .	130	REZIA IP54 . . . . .	82
ENOK IP54 . . . . .	108	RIMINI IP54 . . . . .	86
FANO IP54 . . . . .	76	RIMINI SQUARE IP54 . . . . .	84
FANO SMART . . . . .	78	ROLF IP44. . . . .	122
FLOKI IP54 . . . . .	131	SORANO IP44 . . . . .	124
FRAME IP54. . . . .	128	ULF IP44 . . . . .	90
GAGARIN IP44 . . . . .	79	VENETO IP54 . . . . .	95
GAMBINO IP54 . . . . .	100	VENTA IP54 . . . . .	94
GINNA IP54 . . . . .	107	ZITA XL IP54. . . . .	105

**AZzardo**<sup>®</sup>

OUTDOORLINE

[www.azzardolighting.com](http://www.azzardolighting.com)






**OUTDOOR** LAMPS

# OUTDOOR

## lamps

- 70 CASPER SQUARE IP54
- 71 CASPER ROUND IP54
- 72 APULIA IP54
- 73 PAPIKO IP65
- 74 ALIX IP65
- 76 FANO IP54
- 78 FANO SMART
- 79 GAGARIN IP44
- 80 IKA IP65
- 82 REZIA IP54
- 84 RIMINI SQUARE IP54
- 86 RIMINI IP54
- 87 JAKE IP54
- 88 PEDER IP54
- 89 GORAN
- 90 ULF IP44
- 92 JOE IP54
- 94 VENTA IP54
- 95 VENETO IP54
- 96 CASOLA IP54
- 97 COSEL IP54
- 98 ARBAX IP54
- 99 ARIDA IP54
- 100 GAMBINO IP54
- 101 LETICIA 2 LED IP54
- 102 CREMONA IP54
- 104 LARS IP54
- 105 ZITA XL IP54
- 106 CIVITA IP54
- 107 GINNA IP54
- 108 ENOK IP54
- 110 CASORIA IP54
- 112 AFI IP54
- 113 OVE WALL IP54
- 114 ALF IP65
- 116 NIKLAS IP44
- 118 MIKKEL IP54
- 120 NILS IP65
- 121 OSVALD IP44
- 122 ROLF IP44
- 124 SORANO IP44
- 126 NILS IP44
- 128 FRAME IP54
- 130 EDVIN IP65
- 130 EDWARD IP65
- 131 FLOKI IP54
- 132 HAVANA IP44
- 134 BOOMBOX IP44



# CASPER SQUARE IP54

70

Outdoor lamps



## CASPER SQUARE 3000K / 4000K

LED integrated

voltage: 230V

LED 15W 1300lm 3000K

IP54

LED 15W 1300lm 4000K

**LED**

technical


installation place

specification



### COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4496**
- 3000K DARK GREY (DGR) . . . . . **AZ4498**
- 3000K WHITE (WH) . . . . . **AZ4500**
- 4000K BLACK (BK) . . . . . **AZ4497**
- 4000K DARK GREY (DGR) . . . . . **AZ4499**
- 4000K WHITE (WH) . . . . . **AZ4501**





## CASPER ROUND 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical  
specification



LED 15W 1300lm 3000K

LED 15W 1300lm 4000K

installation place



### COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4490**
- 3000K DARK GREY (DGR) . . . . . **AZ4492**
- 3000K WHITE (WH) . . . . . **AZ4494**
- 4000K BLACK (BK) . . . . . **AZ4491**
- 4000K DARK GREY (DGR) . . . . . **AZ4493**
- 4000K WHITE (WH) . . . . . **AZ4495**



# APULIA IP54

Outdoor lamps




## APULIA R

LED integrated

voltage: 230V	LED 10W 800lm 3000K		
IP54	installation place <input type="checkbox"/>		
technical specification			

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4333**
  - DARK GREY (DGR) . . . . . **AZ4335**
  - WHITE (WH) . . . . . **AZ4334**
- 




## APULIA S

LED integrated

voltage: 230V	LED 10W 800lm 3000K		
IP54	installation place <input type="checkbox"/>		
technical specification			

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4336**
  - DARK GREY (DGR) . . . . . **AZ4338**
  - WHITE (WH) . . . . . **AZ4337**
- 



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## PAPIKO IP65

bulb not included

voltage: 230V	GU10 1x MAX 50W <input checked="" type="checkbox"/>
IP65	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4216**
- WHITE (WH) . . . . . **AZ4217**



# ALIX IP65

Outdoor lamps





## ALIX IP65

bulb not included

voltage: 230V	GU10 1x Max 50W
IP65	installation place

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4056**
- GREY (GR) . . . . . **AZ4057**
- WHITE (WH) . . . . . **AZ4055**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# FANO IP54

Outdoor lamps




**FANO S 30**

bulb not included

voltage: 230V	E27 2X MAX 18W	
IP54		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4372**
- DARK GREY (DGR) . . . . . **AZ4370**
- WHITE (WH) . . . . . **AZ4374**





**FANO R 30**

bulb not included


voltage: 230V	E27 2X MAX 18W	
IP54		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4371**
- DARK GREY (DGR) . . . . . **AZ4369**
- WHITE (WH) . . . . . **AZ4373**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




FANO SQUARE

LED integrated

voltage: 230V	E27 2X MAX 18W
IP54	
technical specification	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) . . . . . **AZ2186**




FANO R

LED integrated

voltage: 230V	E27 2X MAX 18W
IP54	
technical specification	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) . . . . . **AZ2187**



# FANO SMART

78

Outdoor lamps




**FANO S 30 SMART LED RGB**

LED integrated

voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4786**
- DARK GREY (DGR) . . . . . **AZ4787**
- WHITE (WH) . . . . . **AZ4788**



CCT = 2600-6000K DIMMABLE REMOTE CONTROL




**FANO R 30 SMART LED RGB**

LED integrated

voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4783**
- DARK GREY (DGR) . . . . . **AZ4784**
- WHITE (WH) . . . . . **AZ4785**



CCT = 2600-6000K DIMMABLE REMOTE CONTROL



BK

DGR



WH



BK

DGR



WH



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## GAGARIN IP44

bulb not included

voltage: 230V	E27 1x MAX 18 W	<input type="checkbox"/>
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.


DARK GREY (DGR) . . . . . **AZ4352**



# IKA IP65

80

Outdoor lamps




## IKA SQUARE IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W	<input type="checkbox"/>
IP65	installation place	<input type="checkbox"/>
	inlet opening	

### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2864**
- BLACK (BK) . . . . . **AZ4230**
- DARK GREY (DGR) . . . . . **AZ4231**



\* EXPLANATION OF SHORTCUT PAGE 2 (E)




## IKA ROUND IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W	<input type="checkbox"/>
IP65	installation place	<input type="checkbox"/>
	inlet opening	<input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2865**
- BLACK (BK) . . . . . **AZ3017**
- DARK GREY (DGR) . . . . . **AZ4232**



# REZIA IP54

Outdoor lamps






## REZIA 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4343**
- DARK GRAY (DGR) . . . . . **AZ4344**




## REZIA 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4345**
- DARK GRAY (DGR) . . . . . **AZ4346**




\* - EXPLANATION SHORTCUT PAGE 2 (E)





# RIMINI SQUARE IP54

Outdoor lamps






## RIMINI 1 SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ4311**
- WHITE (WH) . . . . . **AZ4313**
- BLACK (BK) . . . . . **AZ4267**



## RIMINI 2 SQUARE

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ4312**
- WHITE (WH) . . . . . **AZ4314**
- BLACK (BK) . . . . . **AZ4268**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# RIMINI IP54

Outdoor lamps



BK \*


## RIMINI 1

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ2176**
- WHITE (WH) . . . . . **AZ2175**
- BLACK (BK) . . . . . **AZ4265**



BK \*


## RIMINI 2

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ2178**
- WHITE (WH) . . . . . **AZ2177**
- BLACK (BK) . . . . . **AZ4266**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK \*


## JAKE WALL 2

bulb not included

voltage: 230V	GU10 2x MAX 35W <input type="checkbox"/>
IP54	installation place <input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ3321**
- WHITE (WH). . . . . **AZ3322**
- BLACK (BK). . . . . **AZ4269**



DGR



WH

new

BK

# PEDER IP54

Outdoor lamps




## PEDER

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4514**
- DARK GREY (DGR) . . . . . **AZ4515**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




**GORAN SENSOR**

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place <input type="checkbox"/>


COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4695**
- DARK GRAY (DGR) . . . . . **AZ4696**
- WHITE (WH) . . . . . **AZ4697**



TILT 90°

**MASTER SLAVE SYSTEM**



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).




# ULF IP44

90

Outdoor lamps



## MASTER SLAVE SYSTEM



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## ULF 1 WALL SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4454**
- DARK GREY (DGR) . . . . . **AZ4455**




## ULF 2 WALL

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP44	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4473**
- DARK GREY (DGR) . . . . . **AZ4474**





# JOE IP54

Outdoor lamps



DGR \*


## JOE TUBE

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ3313**
- BLACK (BK) . . . . . **AZ3314**
- WHITE (WH) . . . . . **AZ3315**
- BRIGHT GREY (BGR) . . . . . **AZ3316**



new

WH \*


## JOE WALL 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ3317**
- BLACK (BK) . . . . . **AZ3318**
- WHITE (WH) . . . . . **AZ4315**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





**JOE WALL 2**

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ3319**
- BLACK (BK) . . . . . **AZ3320**
- WHITE (WH) . . . . . **AZ4316**




**JOE SQUARE**

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	


COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ3323**
- WHITE (WH) . . . . . **AZ3324**
- BLACK (BK) . . . . . **AZ4270**




# VENTA IP54

Outdoor lamps




## VENTA

bulb not included 

voltage: 230V	E27 1x MAX 18 W	
IP54	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4350**
- DARK GREY (DGR) . . . . . **AZ4351**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




VENETO

bulb not included

voltage: 230V	E27 1x MAX 18 W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>


COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4348**
- DARK GREY (DGR) . . . . . **AZ4349**



# CASOLA IP54

Outdoor lamps



## CASOLA


LED integrated


voltage: 230V	LED 12W 950lm 3000K
IP54	<b>LED</b>
technical specification	installation place



### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4355**
- DARK GREY (DGR) . . . . . **AZ4356**





COSEL

LED integrated

voltage: 230V

LED 2x8W 1300lm 3000K

IP54



LED

technical specification

installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4353**
- DARK GREY (DGR) . . . . . **AZ4354**



# ARBAX IP54

Outdoor lamps



## ARBAX 1

LED integrated

voltage: 230V

LED 6W 500lm 3000K

IP54



LED


technical

installation place

specification

COLOUR / NEW INDEX NO.

■ DARK GREY (DGR) . . . . . **AZ4341**



## ARBAX 2

LED integrated

voltage: 230V

LED 12W 1000lm 3000K

IP54



LED


technical

installation place

specification

COLOUR / NEW INDEX NO.

■ DARK GREY (DGR) . . . . . **AZ4342**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




ARIDA

bulb not included

voltage: 230V	E27 1x Max 18W
IP54	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

DARK GREY (DGR) . . . . . **AZ4347**



\*\* NUMBERS IS NOT INCLUDED

\*\*







# GAMBINO IP54

100

Outdoor lamps



## GAMBINO 1 3000K / 4000K


LED integrated

voltage: 230V	LED 2x3W 500lm 3000K	<b>LED</b>
IP54	LED 2x3W 500lm 4000K	
technical specification	installation place	




### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ0950**
- 3000K BRIGHT GREY (BGR) . . . . . **AZ0958**
- 3000K DARK GREY (DGR) . . . . . **AZ0957**
- 3000K BLACK (BK) . . . . . **AZ4148**
- 4000K BLACK (BK) . . . . . **AZ4470**
- 4000K DARK GREY (DGR) . . . . . **AZ4471**
- 4000K WHITE (WH) . . . . . **AZ4472**




### FOUR ADJUSTABLE LIGHT ANGLE



TILT 90°





FOUR ADJUSTABLE LIGHT ANGLE

## LETICIA 2 LED

LED integrated

voltage: 230V

LED 2x3W 400lm 3000K

IP54




technical specification

installation place



COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4469**
- DARK GREY (DGR) . . . . . **AZ2189**
- WHITE (WH) . . . . . **AZ2190**



TILT 90°



# CREMONA IP54

102

Outdoor lamps





BK \*



WH \*

CREMONA S

LED integrated

voltage: 230V

LED 2x3W 350lm 3000K

LED

IP54




technical

specification

installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ2180**
- WHITE (WH) . . . . . **AZ2179**
- BLACK (BK) . . . . . **AZ4339**



CREMONA M

LED integrated

voltage: 230V

LED 2x5W 500lm 3000K

LED

IP54




technical

specification

installation place

COLOUR / NEW INDEX NO.


- DARK GREY (DGR) . . . . . **AZ2182**
- WHITE (WH) . . . . . **AZ2181**
- BLACK (BK) . . . . . **AZ4340**



DGR



WH




BK



DGR



WH



BK

# LARS IP54

Outdoor lamps





**LARS ROUND WALL 3000K / 4000K**

LED integrated

voltage: 230V	LED 13W 1000lm 3000K	
IP44	LED 13W 1000lm 4000K	
technical specification		installation place

**COLOUR / NEW INDEX NO.**

- 3000K BLACK (BK) . . . . . **AZ4504**
- 4000K BLACK (BK) . . . . . **AZ4505**




**LARS SQUARE 3000K / 4000K**

LED integrated

voltage: 230V	LED 13W 1000lm 3000K	
IP44	LED 13W 1000lm 4000K	
technical specification		installation place

**COLOUR / NEW INDEX NO.**

- 3000K BLACK (BK) . . . . . **AZ4506**
- 4000K BLACK (BK) . . . . . **AZ4507**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK \*

**ZITA XL**



LED integrated

voltage: 230V	LED 6W 450lm 3000K
IP54	<b>LED</b>
technical specification	installation place



COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ2200**
- BRIGHT GREY (BGR) . . . . . **AZ2201**
- BLACK (BK) . . . . . **AZ4150**
- WHITE (WH) . . . . . **AZ4151**



# CIVITA IP54

## Outdoor lamps




**CIVITA**

LED integrated

voltage: 230V	LED 12W 800lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

■ DARK GREY (DGR) . . . . . **AZ4361**




**CIVITA SENSOR**

LED integrated


voltage: 230V	LED 12W 800lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

■ DARK GREY (DGR) . . . . . **AZ4360**



### MASTER SLAVE SYSTEM (OPTION)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).



\* - EXPLANATION SHORTCUT PAGE 107



**GINNA 3**



LED integrated

voltage: 230V	LED 6W 500lm 3000K
IP54	
technical specification	installation place



COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ3484**
- GOLD (GO) . . . . . **AZ3485**
- DARK GREY (DGR) . . . . . **AZ4194**
- WHITE (WH) . . . . . **AZ4195**





# ENOK IP54

108

Outdoor lamps






**ENOK ROUND WALL 3000K**

LED integrated

voltage: 230V	LED 9W 700lm 3000K		<b>LED</b>
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

■ 3000K DARK GREY (DGR) . . . . . **AZ4460**




**ENOK SQUARE WALL 3000K / 4000K**

LED integrated

voltage: 230V	LED 9W 700lm 3000K		<b>LED</b>
IP54	LED 9W 700lm 4000K		
technical specification	installation place		



COLOUR / NEW INDEX NO.

■ 3000K BLACK (BK) . . . . . **AZ4461**  
 ■ 4000K BLACK (BK) . . . . . **AZ4462**



**2 IN 1**

THERE ARE 2 TYPES OF FRONT COVER FOR THE LAMP INCLUDED.  
 THANKS TO MAGNETIC FIXING SYSTEM THEY CAN BE EASILY CHANGED OR REMOVED COMPLETELY.



# CASORIA IP54

Outdoor lamps





## CASORIA ROUND

LED integrated

voltage: 230V	LED 6W 450lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ4365**
- BLACK (BK) . . . . . **AZ4366**




## CASORIA SLIM

LED integrated

voltage: 230V	LED 6W 450lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ4368**




## CASORIA SQUARE

LED integrated

voltage: 230V	LED 6W 450lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) . . . . . **AZ4367**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# AFI IP54

Outdoor lamps



AFI 3000K / 4000K

LED integrated

voltage: 230V

LED 2W 150lm 3000K

IP54

LED 2W 150lm 4000K

**LED**

technical


installation place

specification



COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) . . . . . **AZ4510**
- 3000K BLACK (BK) . . . . . **AZ4512**
- 4000K DARK GREY (DGR) . . . . . **AZ4511**
- 4000K BLACK (BK) . . . . . **AZ4513**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



**OVE WALL 3000K / 4000K**

LED integrated

voltage: 230V

LED 2W 150lm 3000K

IP54

LED 2W 150lm 4000K

**LED**

technical


installation place

specification



**COLOUR / NEW INDEX NO.**

- 3000K DARK GREY (DGR) . . . . . **AZ4508**
- 4000K DARK GREY (DGR) . . . . . **AZ4509**



# ALF IP65

Outdoor lamps





**ALF ROUND 3000K**

LED integrated

voltage: 230V	LED 3W 250lm 3000K	
IP65		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4463**
- DARK GREY (DGR) . . . . . **AZ4464**




**ALF SQUARE 3000K**

LED integrated



voltage: 230V	LED 3W 250lm 3000K	
IP65		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4465**
- DARK GREY (DGR) . . . . . **AZ4466**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# NIKLAS IP44

Outdoor lamps




## NIKLAS 2 WALL

bulb included


voltage: 230V	E27 1x MAX 60W	
IP44	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4488**



### MASTER SLAVE SYSTEM (OPTION)



\* ANIMATION SHORTCUT PAGE 2 (E)




**NIKLAS WALL** bulb not included

voltage: 230V	E27 1x MAX 60W	
IP44		
	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) . . . . . **AZ4486**




**NIKLAS WALL SENSOR** bulb not included

voltage: 230Vs	E27 1x MAX 60 W	
IP44		
	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) . . . . . **AZ4487**



# MIKKEL IP54

Outdoor lamps




## MIKKEL WALL

bulb not included

voltage: 230V	E27 1x MAX 15W	
IP65	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4484**




## MIKKEL

bulb not included

voltage: 230V	E27 1x MAX 15W	
IP54	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4485**



\* - EXPLANATION SHORTCUT PAGE 2 (E)

# MIKKEL IP54

Outdoor lamps

119



# RASMUS IP65

Outdoor lamps




**RASMUS WALL**

bulb not included

voltage: 230V	E27 1x MAX 15W	
IP65	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4482**




**RASMUS**

bulb not included

voltage: 230V	E27 1x MAX 15W	
IP65	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4483**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## OSVALD WALL

bulb not included

voltage: 230V	E27 1x MAX 25W	<input type="checkbox"/>
IP44	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4489**



# ROLF IP44

Outdoor lamps





**ROLF 1 WALL**

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4475**
- DARK GREY (DGR) . . . . . **AZ4476**
- WHITE (WH) . . . . . **AZ4477**




**ROLF 2 500**

bulb not included

voltage: 230V	LED GU10 2x MAX 35W	<input type="checkbox"/>
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4456**
- DARK GREY (DGR) . . . . . **AZ4457**




**ROLF 2 900**

bulb not included

voltage: 230V	LED GU10 2x MAX 35W	<input type="checkbox"/>
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4458**
- DARK GREY (DGR) . . . . . **AZ4459**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# SORANO IP44

124

Outdoor lamps




**SORANO 500**

bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4444**
- DARK GREY (DGR) . . . . . **AZ4358**




**SORANO 700**

bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4445**
- DARK GREY (DGR) . . . . . **AZ4359**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





## SORANO WALL

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4446**
- DARK GREY (DGR) . . . . . **AZ4357**




# NILS IP44

Outdoor lamps



## MASTER SLAVE SYSTEM (OPTION)



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## NILS WALL

bulb not included

voltage: 230V	E27 1x MAX 13W	
IP44	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) . . . . . **AZ4478**




## NILS WALL SENSOR

bulb not included

voltage: 230V	E27 1x MAX 13W	
IP44	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) . . . . . **AZ4479**





**NILS 500**

bulb not included

voltage: 230V	E27 1x MAX 13W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4480**



**NILS 800**

bulb not included

voltage: 230V	E27 1x MAX 13W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4481**

# FRAME IP54

128

Outdoor lamps



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK \*



FRAME WALL

LED integrated

voltage: 230V	LED 8W 800lm 3000K	
IP54		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4308**
- DARK GREY (DGR) . . . . . **AZ2132**
- BRIGHT GREY (BGR) . . . . . **AZ2133**



BK \*



FRAME SPIKE

LED integrated

voltage: 230V	LED 8W 800lm 3000K	
IP54		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4307**
- DARK GREY (DGR) . . . . . **AZ2128**
- BRIGHT GREY (BGR) . . . . . **AZ2129**



BK \*


FRAME 70

LED integrated

voltage: 230V	LED 8W 800lm 3000K	
IP54		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4305**
- DARK GREY (DGR) . . . . . **AZ2130**
- BRIGHT GREY (BGR) . . . . . **AZ2131**



# EDVIN / EDWARD IP65

Outdoor lamps




**EDVIN**

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP65		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) . . . . . **AZ4502**




**EDWARD**

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP65		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) . . . . . **AZ4503**





FLOKI 3000K / 4000K

LED integrated

voltage: 230V

IP65

technical

specification



LED 6W 500lm 3000K


LED 6W 500lm 4000K

installation place



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4468**
- 4000K BLACK (BK) . . . . . **AZ4467**



TILT 180°





# HAVANA IP44

Outdoor lamps




## HAVANA

bulb not included

voltage: 230V	E27 1x MAX 25W	
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.


- BLACK (BK) . . . . . **AZ4662**
- WHITE (WH) . . . . . **AZ4663**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



waterproof switch button




# BOOMBOX IP44

Outdoor lamps



## HIT! – Portable LED lamp with a built-in 10W Bluetooth speaker



Portable LED lamp with a built-in 10W Bluetooth speaker. Equipped with a practical carrying handle. Lamp consists of 9 LEDs with variable color and 6 LEDs with white light. It has 7 light colors in various modes of operation. Product is made of white plastic. Comes with a remote control as well as a battery and USB charging cable so that the lamp can be placed anywhere

due to the fact that it is not limited by access to mains supply. This is a wonderful decoration that can inspire to create an amazing arrangement in your garden. IP44 water resistance allows outdoor use.

**Play music from your smartphone or tablet via bluetooth!**



**BOOMBOX MEDIUM RGBW + REMOTE CONTROL**

Dimensions: ..... 22x22x32cm  
 Power: ..... 10W speaker  
 Battery: ..... 2000mAh  
 Color: ..... RGBW  
 Accessories: ..... remote control included



**BOOMBOX BUCKET RGBW + REMOTE CONTROL**

Dimensions: ..... 32x56cm  
 Power: ..... 5W speaker  
 Battery: ..... 2000mAh  
 Color: ..... RGBW  
 Accessories: ..... remote control included



\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*  
**BOOMBOX MEDIUM RGBW + REMOTE CONTROL**

LED integrated

voltage: 230V

LED 10W 800lm RGBW DIMM USB



IP44



3000K

technical  
specification

installation place



COLOUR / NEW INDEX NO.

WHITE (WH). . . . . **AZ4664**



22



WH \*  
**BOOMBOX BUCKET RGBW + REMOTE CONTROL**

LED integrated

voltage: 230V

LED 5W 400lm RGBW DIMM USB



IP44



3000K

technical  
specification

installation place



COLOUR / NEW INDEX NO.

WHITE (WH). . . . . **AZ4665**



22



Ra (CRI) - Colour Rendering Index **EU standard – Ra  $\geq$  80**  
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra  $\geq$  80**  
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra  $\geq$  80**  
Najlepš index podania farieb Ra(CRI)=100

Ra (CRI)- Index podn barev **Standard EU – Ra  $\geq$  80**  
Nejlepš index podn barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz modu Źwieccy (wraz z diodami).  
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub faktur.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).  
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 v garancia rvnyes a LED vezrlre s a Led panelre egyarnt.  
A garancia a vsrls napjn lp letbe, melyet szmlval vagy nyugtval szksges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La dure de la garantie est ds le jour d'achat confirm par un ticket de caisse ou une facture.

5 -ron zruka sa vzahuje na ovlda pre LED lampy, vrtane svetelnho zdroja  
Zrun doba sa pota od dtumu zakpen tovaru.

5 let zruka se vzahuje na ovlda pro LED lampy, vetne svetelnho zdroje.  
Zrun doba se pota od dtumu zakoupen zboj.



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.

Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modèles.

Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent légèrement varier par rapport à celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.  
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogukat a termékskála, a dizájn és a modellek változtatására.  
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen  
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.  
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.  
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálných.

2025 RELEASE UNDER E.O. 14176

AZzardo®

# TECHNOline



New collection 2022



# Azzardo



## BULGARIA

VISTA\_G LTD

tel.: +359 32 655 877  
mobile: +359 885 388 003  
e-mail: sales@iml.bg  
• www.vista-g.com



## CROATIA REP. OF BOSNIA AND HERZEGOVINA MONTENEGRO

REMBOL D.O.O.

KOPERNIKOVA 5; 10000 ZAGREB  
tel.: +91 222 02 29  
tel.: +91 520 12 54  
e-mail: info@azzardo.com.hr  
• www.azzardo.com.hr



## CZECH REPUBLIC

AZZARDO LIGHTING S.R.O.

tel.: +421 41 565 22 56  
e-mail: info@azzardo.sk  
• www.azzardodesign.com



## HUNGARY

ELTER LTD.

tel.: +36 74 510 348  
e-mail: info@elter.hu  
• www.elter.hu



## ICELAND

PFAFF

tel.: +354 414 0400  
fax: +354 414 0401  
e-mail: pfaff@pfaff.is  
• www.pfaff.com



## ITALY

LEONARDO ANICETO

tel.: +39 3931212029  
e-mail: aniceto.staff@gmail.com

LEONARDO ANICETO

tel.: +39 3931212029  
e-mail: aniceto.staff@gmail.com



## NETHERLANDS

HENNIE BUKKEMS

tel.: +31 6201 36811  
e-mail: bukkemsagenturen@gmail.com



## POLAND

TORINO HOLDING S.A.

tel.: +48 61 849 40 80  
fax: +48 61 849 40 84  
e-mail: biuro@lampy.it  
• www.azzardolighting.com



## PORTUGAL

DOMOLED

NÚCLEO EMPRESARIAL  
DA ABRUNHEIRA ZONA  
POENTE PAV.4, 2710-089 SINTRA  
tel.: +351 219 111 201  
tel.: +351 911 003 235  
e-mail: geral@domoled.pt  
• www.domoled.pt



## ROMANIA

JACEK KREMPIŃSKI

tel.: +48 518 543 875  
e-mail: jacekkrempinski@gmail.com



## SLOVAKIA

AZZARDO LIGHTING S.R.O.

TEL.: +421 41 565 22 56  
e-mail: info@azzardo.sk  
• www.azzardodesign.com



## UKRAINE

ELEKOMP

m. KYIV, provulok Lukianivsky 11B  
fax: +38 063 263 30 64  
tel.: +38 067 353 3757  
e-mail: elekomp.project@gmail.com  
• www.elekomp.com.ua

---

PROFORMA

KYIV, EKSKAVATORNA 24

tel.: +38 098 193 22 22  
tel.: +38 097 083 81 53  
e-mail: zakaz@proforma.kiev.ua  
• www.proforma.kiev.ua



## UNITED KINGDOM AND IRELAND

IAN DORMER

tel.: 07745 763251  
e-mail: ian@eurolamps.uk

---

AUTHORISED POINT OF SALE

PF FURNITURE LTD

UNIT A PRESTWICH INDUSTRIAL ESTATE  
COAL PIT LN  
ATHERTON, M46 OFY  
MANCHESTER


tel.: +44 073 839 768 12  
tel.: +44 019 428 717 37  
e-mail: sales@pffurniture.co.uk

**AZzardo**<sup>®</sup>

TRACKLINE

[www.azzardolighting.com](http://www.azzardolighting.com)


NAMING OF BASIC ACCESSORIES FOR 1-LINE TRACK SYSTEM



**1-LINE**  
TRACK

# 1-LINE

track 1-Line





- 2 ACCESORIES FOR TRACK 1 LINE
- 6 EXO
- 7 LOLO
- 8 KIRKE
- 9 JERRY

# TRACK 1-LINE

2


Accessories for Track 1 Line

# 1-Li



## Tracks (1m, 1,5m, 2m, 3m)

- |                                     |                    |       |               |
|-------------------------------------|--------------------|-------|---------------|
| <input checked="" type="checkbox"/> | TRACK 1M (BLACK)   | ..... | <b>AZ4729</b> |
| <input type="checkbox"/>            | TRACK 1M (WHITE)   | ..... | <b>AZ4728</b> |
| <input checked="" type="checkbox"/> | TRACK 1,5M (BLACK) | ..... | <b>AZ4731</b> |
| <input type="checkbox"/>            | TRACK 1,5M (WHITE) | ..... | <b>AZ4730</b> |
| <input checked="" type="checkbox"/> | TRACK 2M (BLACK)   | ..... | <b>AZ4733</b> |
| <input type="checkbox"/>            | TRACK 2M (WHITE)   | ..... | <b>AZ4732</b> |
| <input checked="" type="checkbox"/> | TRACK 3M (BLACK)   | ..... | <b>AZ4735</b> |
| <input type="checkbox"/>            | TRACK 3M (WHITE)   | ..... | <b>AZ4734</b> |



## Straight Connector


- |                                     |                            |       |               |
|-------------------------------------|----------------------------|-------|---------------|
| <input checked="" type="checkbox"/> | STRAIGHT CONNECTOR (BLACK) | ..... | <b>AZ4737</b> |
| <input type="checkbox"/>            | STRAIGHT CONNECTOR (WHITE) | ..... | <b>AZ4736</b> |



\* - EXPLANATION SHORTCUT PAGE 2 (E)

Available options for installation place (surface and pendent mounted)

# neSERIES



### Track Set (1m, 1,5m, 2m, 3m)

with THE END POWER + END CAP (All included)

- SET 1M (BLACK) ..... **AZ4723**
- SET 1M (WHITE) ..... **AZ4722**
- SET 1,5M (BLACK) ..... **AZ4725**
- SET 1,5M (WHITE) ..... **AZ4724**
- SET 2M (BLACK) ..... **AZ4727**
- SET 2M (WHITE) ..... **AZ4726**



### End Power

- END POWER (BLACK) ..... **AZ4743**
- END POWER (WHITE) ..... **AZ4742**



# TRACK 1-LINE

## Accessories for Track 1 Line




### L Connector

- L CONNECTOR (BLACK) ..... **AZ4739**
- L CONNECTOR (WHITE) ..... **AZ4738**



### T Connector

- T CONNECTOR (BLACK) ..... **AZ4741**
- T CONNECTOR (WHITE) ..... **AZ4740**



### End Cap

- END CAP (BLACK) ..... **AZ4745**
- END CAP (WHITE) ..... **AZ4744**



### Track 1Line Pendant Accessory 1.5m

- TRACK 1LINE PENDANT ACCESSORY 1.5M (BLACK) ..... **AZ4747**
- TRACK 1LINE PENDANT ACCESSORY 1.5M (WHITE) ..... **AZ4746**





### Ceiling plate + wire

- CEILING PLATE + WIRE (BLACK) ..... **AZ4780**
- CEILING PLATE + WIRE (WHITE) ..... **AZ4782**



### Electric

- ELECTRIC (BLACK) ..... **AZ4749**
- ELECTRIC (WHITE) ..... **AZ4748**





# EXO TRACK

6

Track 1 Line



BK \*


## EXO TRACK 1 LINE GU10

bulb not included 

voltage: 230V	GU10 1x Max 35W
IP20	
	installation: Track 1 Line 

COLOUR / NEW INDEX NO.

-  BLACK (BK) . . . . . **AZ4660**
-  WHITE (WH) . . . . . **AZ4661**



WH

BK

\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*



WH

BK



## LOLO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	<input checked="" type="checkbox"/>
IP20	installation: Track 1 Line	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4654**
- WHITE (WH) . . . . . **AZ4655**



# KIRKE TRACK 10W CCT

8

Track 1 Line



## KIRKE TRACK 1 LINE 10W CCT

LED integrated

voltage: 230V

LED 10W 800lm

IP20

3000K | 4000K | 6000K CCT

LED

technical

installation: Track 1 Line


specification

beam angle: 40°



COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4656**
- WHITE (WH) . . . . . **AZ4657**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*



WH

BK


## JERRY TRACK 1 LINE

bulb not included


voltage: 230V	ES111 1x Max 16W	
IP20		
technical specification	installation place: Track 1 Line	

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4666**
- WHITE (WH) . . . . . **AZ4667**




NAMING OF BASIC ACCESSORIES FOR TRACK 3-LINE SYSTEM



3-LINE  
TRACK

# 3 - LINE

## track 3-Line




- 12 ACCESORIES FOR TRACK 3 LINE
- 18 EIGER
- 19 MEGARA
- 20 LOLO
- 21 GULIA
- 22 SANTOS
- 24 KIRKE
- 25 GALILEO
- 26 LUMI
- 27 LUMI
- 28 SKYE
- 29 COSTA
- 30 MIKKA
- 31 MONA
- 32 LINNEA

# TRACK 3-LINE

Accessories for Track 3 Line


# 3-Li

## Example of the connection between track



### TRACKS (1m, 1,5m, 2m, 3m)


- TRACK 1m (BLACK) . . . . . **AZ2973**
- TRACK 1m (WHITE) . . . . . **AZ2974**
- TRACK 1,5m (BLACK) . . . . . **AZ3000**
- TRACK 1,5m (WHITE) . . . . . **AZ2999**
- TRACK 2m (BLACK) . . . . . **AZ2975**
- TRACK 2m (WHITE) . . . . . **AZ2976**
- TRACK 3m (BLACK) . . . . . **AZ4272**
- TRACK 3m (WHITE) . . . . . **AZ4271**



### Track Set (1m, 1,5m, 2m, 3m)


with THE END POWER + END CAP (All included)

- TRACK SET 1m (BLACK) . . . . . **AZ2987**
- TRACK SET 1m (WHITE) . . . . . **AZ2991**
- TRACK SET 1,5m (BLACK) . . . . . **AZ3001**
- TRACK SET 1,5m (WHITE) . . . . . **AZ3002**
- TRACK SET 2m (BLACK) . . . . . **AZ2992**
- TRACK SET 2m (WHITE) . . . . . **AZ2988**




\* - EXPLANATION SHORTCUT PAGE 2 (E)

Available options for installation place – surface-mounted, flush-mounted and suspended



## TRACKS GIPS (1m, 2m, 3m)

- |   |                                 |               |
|---|---------------------------------|---------------|
| ■ | TRACK GIPS 1m (BLACK) . . . . . | <b>AZ4790</b> |
| □ | TRACK GIPS 1m (WHITE) . . . . . | <b>AZ4789</b> |
| ■ | TRACK GIPS 2m (BLACK) . . . . . | <b>AZ4292</b> |
| □ | TRACK GIPS 2m (WHITE) . . . . . | <b>AZ4291</b> |
| ■ | TRACK GIPS 3m (BLACK) . . . . . | <b>AZ4294</b> |
| □ | TRACK GIPS 3m (WHITE) . . . . . | <b>AZ4293</b> |



## MINI SIMPLE CONNECTION

- |   |  |               |
|---|--|---------------|
| ■ | MINI SIMPLE CONNECTION (BLACK) . . . . . | <b>AZ2981</b> |
| □ | MINI SIMPLE CONNECTION (WHITE) . . . . . | <b>AZ2982</b> |





# TRACK 3-LINE

## Accessories for Track 3 Line




### End Power (Left, Right)

- END POWER RIGHT (BLACK) ..... **AZ4116**
- END POWER RIGHT (WHITE) ..... **AZ4117**
- END POWER LEFT (BLACK) ..... **AZ4284**
- END POWER LEFT (WHITE) ..... **AZ4283**




### Power

- POWER (BLACK) ..... **AZ4274**
- POWER (WHITE) ..... **AZ4273**




### L Connector (Left, Right)

- L CONNECTOR RIGHT (BLACK) ..... **AZ2983**
- L CONNECTOR RIGHT (WHITE) ..... **AZ2984**
- L CONNECTOR LEFT (BLACK) ..... **AZ2985**
- L CONNECTOR LEFT (WHITE) ..... **AZ2986**



### T Connector (Left, Right)

- T CONNECTOR LEFT (BLACK) ..... **AZ4276**
- T CONNECTOR LEFT (WHITE) ..... **AZ4275**
- T CONNECTOR RIGHT (BLACK) ..... **AZ4278**
- T CONNECTOR RIGHT (WHITE) ..... **AZ4277**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





### End Power Gips (Left, Right)

- END POWER GIPS RIGHT (BLACK) ..... **AZ4304**
- END POWER GIPS RIGHT (WHITE) ..... **AZ4303**
- END POWER GIPS LEFT (BLACK) ..... **AZ4310**
- END POWER GIPS LEFT (WHITE) ..... **AZ4309**




### Power Gips

- POWER GIPS (BLACK) ..... **AZ4296**
- POWER GIPS (WHITE) ..... **AZ4295**




### L Connector Gips (only Right)

- L CONNECTOR GIPS RIGHT (BLACK) ..... **AZ4298**
- L CONNECTOR GIPS RIGHT (WHITE) ..... **AZ4297**




### T Connector Gips (only Right)

- T CONNECTOR GIPS RIGHT (BLACK) ..... **AZ4300**
- T CONNECTOR GIPS RIGHT (WHITE) ..... **AZ4299**




# TRACK 3-LINE

Accessories for Track 3 Line



## X Connector

- X CONNECTOR (BLACK) .....AZ4280
- X CONNECTOR (WHITE) .....AZ4279



## Power Adjustable Connector

- POWER ADJUSTABLE CONNECTOR (BLACK) .....AZ4286
- POWER ADJUSTABLE CONNECTOR (WHITE) .....AZ4285



## Track 3Line Pendant Accessory 1.5m

- TRACK 3LINE PENDANT ACCESSORY 1.5M (BLACK) .....AZ4797
- TRACK 3LINE PENDANT ACCESSORY 1.5M (WHITE) .....AZ4796




## Ceiling Plate + Wire

- CEILING PLATE + WIRE (BLACK) .....AZ4780
- CEILING PLATE + WIRE (WHITE) .....AZ4782




\* - EXPLANATION SHORTCUT PAGE 2 (E)



### X Connector Gips

- X CONNECTOR GIPS (BLACK) .....AZ4302
- X CONNECTOR GIPS (WHITE) .....AZ4301





### Flexible Connector

- FLEXIBLE CONNECTOR (BLACK) .....AZ4282
- FLEXIBLE CONNECTOR (WHITE) .....AZ4281



### End Cap

- END CAP (BLACK) .....AZ4288
- END CAP (WHITE) .....AZ4287



# EIGER TRACK

Track 3 Line



BK \*

## EIGER TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 3 Line	<input checked="" type="checkbox"/>
	beam angle: 60°	



WH


BK/GO



BK

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4205**
- BLACK / GOLD (BK/GO) . . . . . **AZ4206**
- WHITE (WH) . . . . . **AZ4204**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




MEGARA TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 2x Max. 50W	<input checked="" type="checkbox"/>
IP20	installation: Track 3 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4443**
- WHITE (WH) . . . . . **AZ4442**



# LOLO TRACK

Track 3 Line



BK \*


## LOLO TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4577**
- WHITE (WH) . . . . . **AZ4578**



WH

BK



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## GULIA TRACK TRACK 3-LINE GU10

bulb not included

voltage: 230V	LED GU10 1x Max. 50W	<input type="checkbox"/>
IP20	installation place: Track 3 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4710**
- WHITE (WH) . . . . . **AZ4709**
- GOLD (GO) . . . . . **AZ4711**





# SANTOS TRACK

Track 3 Line



BK \*


## SANTOS TRACK 3 LINE GU10

bulb not included

voltage: 48V	GU10 1x Max. 50W
IP20	
technical specification	installation: Track 3 Line <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4203**
- WHITE (WH) . . . . . **AZ4202**



BK / BK

WH / WH



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK / BK \*

**SANTOS TRACK 3 LINE 12W 3000K**

LED integrated

voltage: 230V

IP20

technical specification



LED 12W 950lm 3000K




installation place: Track 3 Line

beam angle: 60°



COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) . . . . . **AZ4183**
- WHITE / WHITE (WH / WH) . . . . . **AZ4184**
- BLACK / GOLD (BK / GO) . . . . . **AZ2924**
- WHITE / GOLD (WH / GO) . . . . . **AZ2925**




# KIRKE TRACK

Track 3 Line



BK \*



WH

BK

## KIRKE TRACK 3 LINE 10W CCT

LED integrated

voltage: 230V

LED 10W 800lm

IP20

3000K | 4000K | 5500K CCT

LED

technical

installation: Track 3 Line





specification

beam angle: 40°



COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4658**
- WHITE (WH) . . . . . **AZ4659**



SWITCH

3000/4000/5500K

TILT 90°

ROTATION 350°



\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*

**GALILEO TRACK 3000K**

LED integrated

voltage: 230V

LED 15W 1200lm 3000K



IP20




technical specification

installation place: Track 3 Line

beam angle: 12°÷ 35°

COLOUR / NEW INDEX NO.


- WHITE (WH) . . . . . **AZ4066**
- BLACK (BK) . . . . . **AZ4067**



12° 35°



ADJUSTABLE BEAM ANGLE



WH

BK

# LUMI TRACK

## Track 3 Line




**LUMI TRACK 3 LINE 3000K**

LED integrated

voltage: 230V	LED 5W 500lm 3000K	
IP20	installation: Track 3 Line	
technical specification	adjustable beam angle: 19°÷ 70°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4558**
- BLACK (BK) . . . . . **AZ4557**





**LUMI FLEX TRACK 3 LINE 3000K**

LED integrated

voltage: 230V	LED 5W 500lm 3000K	
IP20	installation: Track 3 Line	
technical specification	adjustable beam angle: 19°÷ 70°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4560**
- BLACK (BK) . . . . . **AZ4559**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# SKYE TRACK

Track 3 Line



WH \*

## SKYE TRACK 3 LINE 3000K

LED integrated

voltage: 48V

LED 12W 1300lm 3000K

IP20



**LED**

technical


installation place: Track 3 Line

specification

beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4519**
- BLACK (BK) . . . . . **AZ4520**



WH

BK



\* - EXPLANATION SHORTCUT PAGE 2 (E)



**COSTA TRACK 3 LINE 12W 3000K / 4000K**

LED integrated

voltage: 230V

LED 12W 1100lm 3000K

**LED**

IP20

LED 12W 1100lm 4000K

technical

installation place: Track 3 Line



specification

beam angle: 22°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4550**
- 3000K BLACK (BK) . . . . . **AZ4549**
- 4000K WHITE (WH) . . . . . **AZ4552**
- 4000K BLACK (BK) . . . . . **AZ4551**





# MIKKA TRACK

30

Track 3 Line



## MIKKA TRACK 3 LINE 3000K

LED integrated

voltage: 48V

LED 24W 1700lm 3000K

IP20



**LED**

technical


installation: Track 3 Line

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

■ BLACK (BK) . . . . . **AZ4516**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK \*

**MONA TRACK 12W 3000K / 4000K**

LED integrated

voltage: 230V

LED 12W 1000lm 3000K

**LED**

IP20

LED 12W 1000lm 4000K

technical

installation: Track 3 Line


specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4541**
- 3000K BLACK (BK) . . . . . **AZ4542**
- 4000K WHITE (WH) . . . . . **AZ4544**
- 4000K BLACK (BK) . . . . . **AZ4543**



WH \*

**MONA TRACK 18W 3000K**

LED integrated

voltage: 230V

LED 18W 1500lm 3000K

**LED**

IP20

installation: Track 3 Line

technical


beam angle: 120°

specification



COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4548**
- BLACK (BK) . . . . . **AZ4547**



WH

WH




BK

BK



# LINNEA TRACK CCT

Track 3 Line



BK \*

## LINNEA 29 TRACK 12W CCT

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 700lm

3000K | 4000K | 5000K CCT

installation: Track 3 Line


beam angle: 120°



COLOUR / NEW INDEX NO.

WHITE (WH) . . . . . **AZ4564**

BLACK (BK) . . . . . **AZ4563**



TILT 45°      ROTATION 350°



BK \*

## LINNEA 86 TRACK 3 LINE 36W CCT

LED integrated

voltage: 230V

IP20

technical

specification



LED 36W 2000lm

3000K | 4000K | 5000K CCT

installation: Track 3 Line


beam angle: 120°




COLOUR / NEW INDEX NO.

WHITE (WH) . . . . . **AZ4568**

BLACK (BK) . . . . . **AZ4567**



TILT 45°      ROTATION 350°



BK \*

## LINNEA 57 TRACK 3 LINE 24W CCT

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1400lm

3000K | 4000K | 5000K CCT

installation: Track 3 Line


beam angle: 120°



COLOUR / NEW INDEX NO.

WHITE (WH) . . . . . **AZ4566**

BLACK (BK) . . . . . **AZ4565**



TILT 45°      ROTATION 350°



WH

WH

WH

BK

BK

BK




SWITCH 3000/4000/5000K

\* - EXPLANATION SHORTCUT PAGE 2 (E)




NAMING OF BASIC ACCESSORIES FOR TRACK MAGNETIC SYSTEM



**MAGNETIC**  
TRACK

# MAGNETIC

track Magnetic




- 36 ACCESORIES FOR TRACK MAGNETIC
- 42 SAGA
- 44 SAGA CORNER
- 46 KIRA
- 48 NIKKI
- 49 NIKO
- 50 ALDO
- 51 SKYE PENDANT
- 52 ELIN
- 53 ELSA
- 54 MAYA
- 55 KORI

# TRACK MAGNETIC

Accessories for Track Magnetic

## Example of the connection between track




01 Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

02 Tighten the screw between A and B.

03 Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).



04 Put STRAIGHT CONNECTOR (D) between the two connected tracks (A+C).



### Track Magnetic 27 (1m, 1,5m, 2m, 3m)

WITH END CAP 2X (ALL INCLUDED)

- TRACK 27 1M (BLACK) ..... **AZ4713**
- TRACK 27 1M (WHITE) ..... **AZ4712**
- TRACK 27 1,5M (BLACK) ..... **AZ4715**
- TRACK 27 1,5M (WHITE) ..... **AZ4714**
- TRACK 27 2M (BLACK) ..... **AZ4717**
- TRACK 27 2M (WHITE) ..... **AZ4716**
- TRACK 27 3M (BLACK) ..... **AZ4719**
- TRACK 27 3M (WHITE) ..... **AZ4718**




### Track Magnetic 52 (1m, 1,5m, 2m, 3m)

WITH END CAP 2X (ALL INCLUDED)

- TRACK 52 1M (BLACK) ..... **AZ4638**
- TRACK 52 1M (WHITE) ..... **AZ4639**
- TRACK 52 1,5M (BLACK) ..... **AZ4640**
- TRACK 52 1,5M (WHITE) ..... **AZ4641**
- TRACK 52 2M (BLACK) ..... **AZ4642**
- TRACK 52 2M (WHITE) ..... **AZ4643**
- TRACK 52 3M (BLACK) ..... **AZ4644**
- TRACK 52 3M (WHITE) ..... **AZ4645**

\* - EXPLANATION SHORTCUT PAGE 2 (E)

Available options for installation place – surface-mounted, flush-mounted and suspended



## Track Magnetic 52 Gips (1m, 1,5m, 2m)

WITH END CAP 2X (ALL INCLUDED)

- TRACK 52 GIPS 1M (BLACK) ..... **AZ4646**
- TRACK 52 GIPS 1M (WHITE) ..... **AZ4647**
- TRACK 52 GIPS 1,5M (BLACK) ..... **AZ4648**
- TRACK 52 GIPS 1,5M (WHITE) ..... **AZ4649**
- TRACK 52 GIPS 2M (BLACK) ..... **AZ4650**
- TRACK 52 GIPS 2M (WHITE) ..... **AZ4651**



## Power Supply Covert (60W; 100W; 200W)

- POWER SUPPLY 60W (BLACK) ..... **AZ4669**
- POWER SUPPLY 60W (WHITE) ..... **AZ4670**
- POWER SUPPLY 100W (BLACK) ..... **AZ4671**
- POWER SUPPLY 100W (WHITE) ..... **AZ4672**
- POWER SUPPLY 200W (BLACK) ..... **AZ4673**
- POWER SUPPLY 200W (WHITE) ..... **AZ4674**



# TRACK MAGNETIC

Accessories for Track Magnetic



## Track Magnetic Inner Corner90 + Flex

SURFACE INNER CORNER 90°  
+ POWER CONNECTOR FLEXIBLE

- INNER CORNER 90 + FLEX (BLACK) . . . . .AZ4683
- INNER CORNER 90 + FLEX (WHITE) . . . . .AZ4684



## Track Magnetic Inner Corner 90 + Flex Gips

SURFACE INNER CORNER 90°  
+ POWER CONNECTOR FLEXIBLE

- INNER CORNER 90 + FLEX GIPS (BLACK) . . . . .AZ4685
- INNER CORNER 90 + FLEX GIPS (WHITE) . . . . .AZ4686




## Track Magnetic 27 L Connector

- MAGNETIC 27 L CONNECTOR (BLACK) . . . . .AZ4721
- MAGNETIC 27 L CONNECTOR (WHITE) . . . . .AZ4720



## Track Magnetic Flex Connector Electric

- FLEX CONNECTOR ELECTRIC (BLACK) . . . . .AZ4687
- FLEX CONNECTOR ELECTRIC (WHITE) . . . . .AZ4688



\* - EXPLANATION SHORTCUT PAGE 2 (E)



## Track Magnetic Straight Connector

- STRAGHT CONNECTOR (BLACK) .....AZ4677
- STRAGHT CONNECTOR (WHITE) .....AZ4678



## Track Magnetic Driver Meanwell 100W / 200W 48V

Outer TRACK MAGNETIC 100W / 200W 48V

- DRIVER MEANWELL (100W) .....AZ4691
- DRIVER MEANWELL (200W) .....AZ4692



## Track Magnetic Corner90 + Flex POWER CONNECTOR FLEXIBLE

- CORNER90 + FLEX (BLACK) .....AZ4679
- CORNER90 + FLEX (WHITE) .....AZ4680



## Track Magnetic Corner90 + Flex Gips POWER CONNECTOR FLEXIBLE

- TRIMLESS (BLACK) .....AZ4681
- TRIMLESS (WHITE) .....AZ4682

# TRACK MAGNETIC

Accessories for Track Magnetic



## Track Magnetic Suspension Kit 2m

- TRACK MAGNETIC SUSPENSION KIT 2M (BLACK) . . . . .AZ4693
- TRACK MAGNETIC SUSPENSION KIT 2M (WHITE) . . . . .AZ4694



## Track Magnetic Power Supply Case

- POWER SUPPLY CASE (BLACK) . . . . .AZ4675
- POWER SUPPLY CASE (WHITE) . . . . .AZ4676




## Track Magnetic Mechanical Connector

- MECHANICAL CONNECTOR (BLACK) . . . . .AZ4689
- MECHANICAL CONNECTOR (WHITE) . . . . .AZ4690



## Track Magnetic Cover 1m

- COVER 1M (BLACK) . . . . .AZ4652
- COVER 1M (WHITE) . . . . .AZ4653



\* - EXPLANATION SHORTCUT PAGE 2 (E)




### Ceiling Plate + Wire

- CEILING PLATE + WIRE (BLACK) ..... **AZ4780**
- CEILING PLATE + WIRE (WHITE) ..... **AZ4782**



# SAGA TRACK

Track Magnetic



BK \*

## SAGA TRACK MAGNETIC 12W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

LED 12W 550lm 3000K



IP20

LED 12W 600lm 4000K

technical

installation: Track Magnetic – 52 or 27





specification

beam angle: 120°



### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4604**
- 3000K BLACK (BK) . . . . . **AZ4603**
- 4000K WHITE (WH) . . . . . **AZ4606**
- 4000K BLACK (BK) . . . . . **AZ4605**



BK \*

## SAGA TRACK MAGNETIC 24W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

LED 24W 1100lm 3000K



IP20

LED 24W 1200lm 4000K

technical

installation: Track Magnetic – 52 or 27




specification

beam angle: 120°



### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4608**
- 3000K BLACK (BK) . . . . . **AZ4607**
- 4000K WHITE (WH) . . . . . **AZ4610**
- 4000K BLACK (BK) . . . . . **AZ4609**



BK \*

## SAGA TRACK MAGNETIC 36W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

LED 36W 1800lm 3000K



IP20

LED 36W 1800lm 4000K

technical

installation: Track Magnetic – 52 or 27




specification

beam angle: 120°



### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4612**
- BLACK (BK) . . . . . **AZ4611**



WH



BK

\* - EXPLANATION SHORTCUT PAGE 2 (E)



# SAGA TRACK

Track Magnetic



## SAGA TRACK MAGNETIC CORNER A 24W MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 120°



### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4614**
- 3000K BLACK (BK) . . . . . **AZ4613**
- 4000K WHITE (WH) . . . . . **AZ4616**
- 4000K BLACK (BK) . . . . . **AZ4615**



## SAGA TRACK MAGNETIC CORNER B 24W MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 120°



### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4618**
- 3000K BLACK (BK) . . . . . **AZ4617**
- 4000K WHITE (WH) . . . . . **AZ4620**
- 4000K BLACK (BK) . . . . . **AZ4619**



\* - EXPLANATION SHORTCUT PAGE 2 (E)







# KIRA TRACK

46

Track Magnetic

Track type - 52 mm





**KIRA TRACK MAGNETIC 12W POINTS60**

3000K / 4000K

LED integrated

voltage: 48V

LED 12W 750lm 3000K



IP20

LED 12W 800lm 4000k

technical

installation place:


specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4596**
- 3000K BLACK (BK) . . . . . **AZ4595**
- 4000K WHITE (WH) . . . . . **AZ4598**
- 4000K BLACK (BK) . . . . . **AZ4597**



**KIRA TRACK MAGNETIC 24W POINTS60**

3000K / 4000K

LED integrated

voltage: 48V

LED 24W 1300lm 3000K



IP20

LED 24W 1400lm 4000K

technical

installation place:


specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4600**
- 3000K BLACK (BK) . . . . . **AZ4599**
- 4000K WHITE (WH) . . . . . **AZ4602**
- 4000K BLACK (BK) . . . . . **AZ4601**



# NIKKI TRACK

## Track Magnetic



GO/BK \*

### NIKKI TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

LED 3W 350lm 3000K



IP20



technical



installation: Track Magnetic – 52 or 27

specification

beam angle: 40°

#### COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) . . . . . **AZ4589**
- GOLD / BLACK (GO/BK) . . . . . **AZ4591**
- WHITE / BLACK (WH/BK) . . . . . **AZ4590**



BK/BK \*

### NIKKI 2 TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

LED 2x3W 350lm 3000K



IP20



technical


installation: Track Magnetic – 52 or 27

specification

beam angle: 40°

#### COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) . . . . . **AZ4592**
- GOLD / BLACK (GO/BK) . . . . . **AZ4594**
- WHITE / BLACK (WH/BK) . . . . . **AZ4593**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH/BK \*

**NIKO TRACK MAGNETIC 7W 3000K / 4000K**  
LED integrated

voltage: 48V

IP20

technical specification



LED 7W 550lm 3000K

LED 7W 600lm 4000K



installation: Track Magnetic – 52 or 27

beam angle: 30°



COLOUR / NEW INDEX NO.

-  4000K GOLD / BLACK (GO/BK) . . . **AZ4583**
-  3000K BLACK / BLACK (BK/BK) . . . **AZ4579**
-  3000K WHITE / BLACK (WH/BK) . . . **AZ4580**
-  4000K BLACK / BLACK (BK/BK) . . . **AZ4581**
-  4000K WHITE / BLACK (WH/BK) . . . **AZ4582**



GO/BK \*

**NIKO 2 TRACK MAGNETIC 7W 3000K / 4000K**  
LED integrated

voltage: 48V

IP20

technical specification



LED 2x7W 550lm 3000K

LED 2x7W 600lm 4000K



installation: Track Magnetic – 52 or 27

beam angle: 30°




COLOUR / NEW INDEX NO.

-  3000K GOLD / BLACK (GO/BK) . . . **AZ4588**
-  3000K BLACK / BLACK (BK/BK) . . . **AZ4584**
-  3000K WHITE / BLACK (WH/BK) . . . **AZ4585**
-  4000K BLACK / BLACK (BK/BK) . . . **AZ4586**
-  4000K WHITE / BLACK (WH/BK) . . . **AZ4587**



# ALDO TRACK

Track Magnetic



BK \*

## ALDO TRACK MAGNETIC 12W MILKY120 3000K

LED integrated

voltage: 48V

LED 12W 900lm 3000K

IP20




technical specification

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4626**
- BLACK (BK) . . . . . **AZ4625**



WH \*

## ALDO TRACK MAGNETIC 12W POINTS60 3000K / 4000K

LED integrated

voltage: 48V

LED 12W 1300lm 3000K

IP20

LED 12W 1300lm 4000K

technical specification




installation: Track Magnetic – 52 or 27

beam angle: 60°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4622**
- 3000K BLACK (BK) . . . . . **AZ4621**
- 4000K WHITE (WH) . . . . . **AZ4624**
- 4000K BLACK (BK) . . . . . **AZ4623**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



## SKYE TRACK MAGNETIC PENDANT 12W 3000K


LED integrated

voltage: 48V	LED 12W 1200lm 3000K	
IP20		
technical specification	installation: Track Magnetic – 52 or 27	
	beam angle: 60°	



### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4637**
- BLACK (BK) . . . . . **AZ4636**



TILT 60°



# ELIN TRACK

Track Magnetic



## ELIN TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 850lm 3000K

LED 7W 850lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 190°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4630**
- 3000K GOLD (GO) . . . . . **AZ4632**
- 4000K BLACK (BK) . . . . . **AZ4631**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



## ELSA TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical  
specification



LED 7W 700lm 3000K

LED 7W 700lm 4000K


installation Track Magnetic – 52 or 27

beam angle: 190°



### COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4633**
- 3000K GOLD (GO) . . . . . **AZ4635**
- 4000K BLACK (BK) . . . . . **AZ4634**





# MAYA TRACK

54

Track Magnetic



BK \*

## MAYA TRACK MAGNETIC 3W 3000K

LED integrated 

voltage: 48V

LED 3W 250lm 3000K

IP20



**LED**

technical


installation Track Magnetic – 52 or 27 

specification

beam angle: 190° 

COLOUR / NEW INDEX NO.

 BLACK (BK) . . . . . **AZ4629**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



GO \*

**KORI TRACK MAGNETIC 5W 3000K**

LED integrated

voltage: 48V

LED 5W 500lm 3000K

IP20



**LED**

technical



installation: Track Magnetic – 52 or 27

specification

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4627**
- GOLD (GO) . . . . . **AZ4628**





**SETS FOR**  
TRACK MAGNETIC

# SETS FOR

## Track Magnetic



- 58** 1 M SET FOR TRACK MAGNETIC
- 60** 1,5 M SET FOR TRACK MAGNETIC
- 61** 2 M SET FOR TRACK MAGNETIC
- 65** 3 M SET FOR TRACK MAGNETIC

# TRACK MAGNETIC SET 1 M



Sets for Track Magnetic



**52M1031BK-AZ4798**  
track magnetic 1m, 3000K, black



**52M1031WH-AZ4799**  
track magnetic 1m, 3000K, white

## TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V	LED 26W 1120lm 3000K	
IP20	LED 26W 1815lm 4000K	
technical	installation: Track Magnetic	
specification	pendant with AZ4828 or AZ4829	




### COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	<b>AZ4798</b>	(52M1031BK)
	3000K WHITE (BK)	<b>AZ4799</b>	(52M1031WH)
	4000K BLACK (BK)	<b>AZ4800</b>	(52M1041BK)
	4000K WHITE (BK)	<b>AZ4801</b>	(52M1041WH)

### Set specification:

- AZ4798 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4603
- AZ4799 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4604
- AZ4800 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4605
- AZ4801 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4606



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m





**52M1032BK-AZ4802**  
track magnetic 1m, 3000K, black



**52M1032WH-AZ4803**  
track magnetic 1m, 3000K, white

## TRACK MAGNETIC SET 1M 3000K / 4000K


LED integrated

voltage: 48V	LED 26W 2022m 3000K	
IP20	LED 26W 1930lm 4000K	
technical specification	installation: Track Magnetic	
	pendant with AZ4828 or AZ4829	

### COLOUR / NEW INDEX NO.

	3000K BLACK (BK) . . . . .	<b>AZ4802</b>	(52M1032BK)
	3000K WHITE (BK) . . . . .	<b>AZ4803</b>	(52M1032WH)
	4000K BLACK (BK) . . . . .	<b>AZ4804</b>	(52M1042BK)
	4000K WHITE (BK) . . . . .	<b>AZ4805</b>	(52M1042WH)

- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m



Set specification:  
 AZ4802 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4584  
 AZ4803 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4585  
 AZ4804 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4586  
 AZ4805 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4587



# TRACK MAGNETIC SET 1,5 M



Sets for Track Magnetic



**52M1531BK-AZ4806**  
track magnetic 1,5 m, 3000K, black



**52M1531BK/GO-AZ4807**  
track magnetic 1,5 m, 3000K, black/gold

## TRACK MAGNETIC SET 1,5M

3000K / 4000K

LED integrated

voltage: 48V

LED 41W 2905lm 3000K



IP20

LED 41W 2910lm 4000K

technical

installation: Track Magnetic

specification

pendant with AZ4828 or AZ4829



### COLOUR / NEW INDEX NO.


	3000K BLACK (BK) . . . . .	<b>AZ4806</b>	(52M1531BK)
	3000K WHITE (BK) . . . . .	<b>AZ4807</b>	(52M1531BK/GO)
	4000K BLACK (BK) . . . . .	<b>AZ4808</b>	(52M1531WH/GO)
	4000K WHITE (BK) . . . . .	<b>AZ4809</b>	(52M1541BK)



**52M1531WH/GO-AZ4808**  
track magnetic 1,5 m, 3000K, white/gold

### Set specification:

- AZ4806 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4630
- AZ4807 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4632
- AZ4808 = AZ4641 + AZ4670 + AZ4653 + AZ4607+2x AZ4632
- AZ4809 = AZ4640 + AZ4671 + AZ4652 + AZ4607+2x AZ4631



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m



ELIN TRACK MAGNETIC 7W 3000K GOLD



**52M2031BK-AZ4810**  
track magnetic 2m, 3000K, black



**52M2031WH-AZ4811**  
track magnetic 2m, 3000K, white

## TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V	LED 51W 3131lm 3000K	
IP20	LED 53W 3041lm 4000K	
technical specification	installation: Track Magnetic	
	pendant with AZ4828 or AZ4829	



### COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	<b>AZ4810</b>	(52M2031BK)
	3000K WHITE (BK)	<b>AZ4811</b>	(52M2031WH)
	4000K BLACK (BK)	<b>AZ4812</b>	(52M2041BK)
	4000K WHITE (BK)	<b>AZ4813</b>	(52M2041WH)

### Set specification:


AZ4810 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4584  
 AZ4811 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4585  
 AZ4812 = AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4586  
 AZ4813 = AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4587



NIKO 2 TRACK MAGNETIC 2x7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 2x7W 3000K BK/BK



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m



# TRACK MAGNETIC SET 2 M



Track Magnetic



**52M2032BK-AZ4814**  
track magnetic 2m, 3000K, black



**52M2032WH-AZ4815**  
track magnetic 2m, 3000K, white

## TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated


voltage: 48V	LED 69W 3533lm 3000K		<b>LED</b>
IP20	LED 69W 3609lm 4000K		
technical specification	installation: Track Magnetic	pendant with AZ4828 or AZ4829	

### COLOUR / NEW INDEX NO.


	3000K BLACK (BK)	<b>AZ4814</b>	(52M2032BK)
	3000K WHITE (BK)	<b>AZ4815</b>	(52M2032WH)
	4000K BLACK (BK)	<b>AZ4816</b>	(52M2042BK)
	4000K WHITE (BK)	<b>AZ4817</b>	(52M2042WH)

### Set specification:

AZ4814 =  
AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4579 + 2xAZ4595  
AZ4815 =  
AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4580 + 2xAZ4596  
AZ4816 =  
AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4581+ 2xAZ4597  
AZ4817 =  
AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4582+ 2xAZ4598



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m





**52M2034BK-AZ4820**  
track magnetic 2m, 3000K, black



**52M2034WH-AZ4821**  
track magnetic 2m, 3000K, white

## TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V

LED 51W 3131lm 3000K

IP20




technical specification

installation: Track Magnetic

pendant with AZ4828 or AZ4829

### COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4820** (52M2034BK)
- 3000K WHITE (BK) . . . . . **AZ4821** (52M2034WH)



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m

### Set specification:

- AZ4820 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4589+ AZ4592
- AZ4821 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4590 + AZ4593



# TRACK MAGNETIC SET 2 M



Sets for Track Magnetic



**52M2033BK/GO-AZ4818**  
track magnetic 2m, 3000K, black/gold



**52M2033WH/GO-AZ4819**  
track magnetic 2m, 3000K, white/gold

## TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V

LED 53W 3540lm 3000K



IP20



technical

installation: Track Magnetic

specification

pendant with AZ4828 or AZ4829


COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4818** (52M2033BK/GO)
- 3000K WHITE (BK) . . . . . **AZ4819** (52M2033WH/GO)

Set specification:

AZ4818 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4588

AZ4819 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4588



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m





**52M1031BK-AZ4798**  
track magnetic 3m, 3000K, black



**52M3031WH-AZ4823**  
track magnetic 3m, 3000K, white

## TRACK MAGNETIC SET 3M 3000K

LED integrated

voltage: 48V	LED 156W 8722lm 3000K		
IP20			
technical			installation: Track Magnetic <input type="checkbox"/>
specification			pendant with AZ4828 or AZ4829

### COLOUR / NEW INDEX NO.


- 3000K BLACK (BK) . . . . . **AZ4820** (52M2034BK)
- 3000K WHITE (BK) . . . . . **AZ4821** (52M2034WH)

### Set specification:

- AZ4822 = AZ4644 + AZ4673 + AZ4652 + 2x AZ4604 + 2x AZ4611 + 4x AZ4621
- AZ4823 = AZ4645 + AZ4674 + AZ4653 + 2x AZ4605 + 2x AZ4612 + 4x AZ4622



ALDO TRACK MAGNETIC 12W POINTS60 3000K BK



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m



ALDO TRACK MAGNETIC 12W POINTS60 3000K WH

# TRACK MAGNETIC SET 3 M



Sets for Track Magnetic



**52M3032BK-AZ4824**  
track magnetic 3m, 3000K, black



**52M3032WH-AZ4825**  
track magnetic 3m, 3000K, white

## TRACK MAGNETIC SET 3M 3000K / 4000K

LED integrated

voltage: 48V		LED 145W 7332lm 3000K	<b>LED</b>
IP20		LED 120W 6316lm 4000K	
technical specification		installation: Track Magnetic <input type="checkbox"/>	
		pendant with AZ4828 or AZ4829	

### COLOUR / NEW INDEX NO.

	3000K BLACK (BK) . . . . .	<b>AZ4824</b>	(52M3032BK)
	3000K WHITE (BK) . . . . .	<b>AZ4825</b>	(52M3032WH)
	4000K BLACK (BK) . . . . .	<b>AZ4826</b>	(52M3042BK)
	4000K WHITE (BK) . . . . .	<b>AZ4827</b>	(52M3042WH)

### Set specification:


- AZ4824 = AZ4644 + AZ4673 + AZ4652 + AZ4603+2x AZ4611 + 2x AZ4579 + AZ4584
- AZ4825 = AZ4645 + AZ4674 + AZ4653 + AZ4604+2x AZ4612 + 2x AZ4580 + AZ4585
- AZ4826 = AZ4644 + AZ4673 + AZ4652 + AZ4605+2x AZ4609 + 2x AZ4581 + AZ4586
- AZ4827 = AZ4645 + AZ4674 + AZ4653 + AZ4606+2x AZ4610 + 2x AZ4582 + AZ4587



NIKO TRACK MAGNETIC 7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 7W 3000K BK/BK



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m



# index technoline

COSTA . . . . .	72	LORENZA . . . . .	110
ROTONDO. . . . .	73	LORENZO . . . . .	111
BRANT . . . . .	74	ESTER SQUARE . . . . .	112
MANE . . . . .	75	ESTER ROUND . . . . .	114
MANE . . . . .	76	AIDA ROUND . . . . .	118
FRIDA . . . . .	78	AIDA SQUARE . . . . .	119
NIKEA. . . . .	80	MALTA R . . . . .	120
MONA 12W . . . . .	82	GALATA . . . . .	124
MONA 18W . . . . .	83	KASTORIA. . . . .	125
MONA SPOT 12W . . . . .	84	LAMIR R. . . . .	126
MONA SPOT 18W . . . . .	85	LAMIR S. . . . .	127
SANTOS. . . . .	86	OKA. . . . .	128
ECO ALEX 230V. . . . .	87	PABLO IP54 . . . . .	129
GALILEO 1 PENDANT . . . . .	88	CARLO . . . . .	130
EIGER IP54 . . . . .	90	EDITTA . . . . .	131
ECO ALIX . . . . .	91	MILET. . . . .	132
PAOLA 230V. . . . .	92	TITO IP54 . . . . .	133
TORONTO. . . . .	94	MINORKA . . . . .	134
TORONTO 1 SPOT. . . . .	95	REMI . . . . .	136
LINNEA PENDANT. . . . .	96	ITAKA . . . . .	137
OJOS . . . . .	98	VEGA . . . . .	140
MAKALU . . . . .	100	VERA . . . . .	141
SKYE . . . . .	102	LUMI . . . . .	142
SKYE PENDANT. . . . .	103	LUMI FLEX . . . . .	143
MONZA S CCT . . . . .	104	VELIA ROUND . . . . .	144
MONZA R CCT . . . . .	106	VELIA SQUARE . . . . .	145

**AZzardo**<sup>®</sup>

TECHNOLINE

[www.azzardolighting.com](http://www.azzardolighting.com)






# **EXPOSED** DOWNLIGHTS

# EXPOSED

## downlights



- 72 COSTA
- 73 ROTONDO
- 74 BRANT
- 75 MANE
- 76 MANE
- 78 FRIDA
- 80 NIKEA
- 82 MONA 12W
- 83 MONA 18W
- 84 MONA SPOT 12W
- 85 MONA SPOT 18W
- 86 SANTOS
- 87 ECO ALEX 230V
- 88 GALILEO 1 PENDANT
- 90 EIGER IP54
- 91 ECO ALIX
- 92 PAOLA 230V
- 94 TORONTO
- 95 TORONTO 1 SPOT
- 96 LINNEA PENDANT
- 98 OJOS
- 100 MAKALU
- 102 SKYE
- 103 SKYE PENDANT
- 104 MONZA S CCT
- 106 MONZA R CCT

# COSTA

## Exposed downlights



WH \*



### COSTA 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K		
IP20	LED 12W 1100lm 4000K		
technical specification	installation place		
	beam angle: 22°		

#### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ2856**
- 3000K BLACK (BK) . . . . . **AZ2857**
- 4000K WHITE (WH) . . . . . **AZ4554**
- 4000K BLACK (BK) . . . . . **AZ4553**



WH

BK



BK / BK \*


### COSTA SPOT

LED integrated

voltage: 230V	LED 12W 1020lm 3000K		
IP20			
technical specification	installation place		
	inlet opening  Ø 9cm		
	beam angle: 22°		

#### COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) . . . . . **AZ2705**
- BLACK/BLACK (BK/BK) . . . . . **AZ2706**



WH

BK



\* - EXPLANATION SHORTCUT PAGE 2 (E)

new




## ROTONDO

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4207**
- BLACK (BK) . . . . . **AZ4208**
- BRONZE (BZ) . . . . . **AZ4209**



# BRANT

Exposed downlights



BK / CH \*



## BRANT

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ2819**
- WHITE (WH) . . . . . **AZ2818**
- BLACK / CHROME (BK / CH) . . . . . **AZ2929**



BK \*


## BRANT 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ2821**
- WHITE (WH) . . . . . **AZ2820**
- BLACK / CHROME (BK / CH) . . . . . **AZ2930**



BK / CH \*

CH \*

WH \*



BK / CH \*

WH \*

BK \*





BK \*

**MANE 10W 3000K**

LED integrated

voltage: 230V

IP20

technical  
specification



LED 10W 850lm 3000K RA>90


**LED**

installation place

beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ2844**
- WHITE (WH) . . . . . **AZ2845**
- GOLD (GO) . . . . . **AZ2846**



new

GO \*

**MANE 10W 4000K**

LED integrated

voltage: 230V

IP20

technical  
specification



LED 10W 800lm 4000K


**LED**

installation place

beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4322**
- WHITE (WH) . . . . . **AZ4324**
- GOLD (GO) . . . . . **AZ4323**



# MANE

76

Exposed downlights



BK \*


## MANE 20W

LED integrated

voltage: 230V	LED 20W 1600lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 23°	

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4153**
- WHITE (WH) . . . . . **AZ4152**
- GOLD (GO) . . . . . **AZ4154**



WH \*


## MANE 20W DIMM

LED integrated

voltage: 230V	LED 20W DIMM 1600lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 23°	

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4325**
- WHITE (WH) . . . . . **AZ4327**
- GOLD (GO) . . . . . **AZ4326**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




MANE 30W

voltage: 230V	LED 30W 2400lm 3000K	LED integrated
IP20		
technical specification	installation place	
	beam angle: 23°	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4156**
- WHITE (WH) . . . . . **AZ4155**
- GOLD (GO) . . . . . **AZ4157**





MANE 30W DIMM

voltage: 230V	LED 30W DIMM 2400lm 3000K	LED integrated
IP20		
technical specification	installation place	
	beam angle: 23°	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4328**
- WHITE (WH) . . . . . **AZ4330**
- GOLD (GO) . . . . . **AZ4329**







BK \*

FRIDA 7W 3000K / 4000K

LED integrated

voltage: 230V

LED 7W 500lm 3000K

LED

IP54



LED 7W 550lm 4000K

technical

installation place  inlet opening 7-8cm

specification

beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4525**
- 3000K BLACK (BK) . . . . . **AZ4523**
- 4000K WHITE (WH) . . . . . **AZ4526**
- 4000K BLACK (BK) . . . . . **AZ4524**



Ø 8,5

TILT 90°

ROTATION 350°



WH \*

FRIDA 12W 3000K / 4000K

LED integrated

voltage: 230V

LED 12W 1100lm 3000K

LED

IP54



LED 12W 1100lm 4000K

technical

installation place  inlet opening 7-8cm

specification

beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4529**
- 3000K BLACK (BK) . . . . . **AZ4527**
- 4000K WHITE (WH) . . . . . **AZ4530**
- 4000K BLACK (BK) . . . . . **AZ4528**



Ø 10

TILT 90°

ROTATION 350°



BK

BK

WH

WH

\* - EXPLANATION SHORTCUT PAGE 2 (E)



# NIKEA

## Exposed downlights




**NIKEA 1 GU10**

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) . . . . . **AZ4430**
- WHITE (WH) . . . . . **AZ4431**
- BLACK (BK) . . . . . **AZ4432**




**NIKEA 2 GU10**

bulb not included

voltage: 230V	GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) . . . . . **AZ4433**
- WHITE (WH) . . . . . **AZ4434**
- BLACK (BK) . . . . . **AZ4435**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## NIKEA 1 ES111

bulb not included

voltage: 230V	ES111 1x Max 16W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) . . . . . **AZ4436**
- WHITE (WH). . . . . **AZ4437**
- BLACK (BK). . . . . **AZ4438**




## NIKEA 2 ES111

bulb not included

voltage: 230V	ES111 2x Max 16W	
IP20		
	installation place	


COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) . . . . . **AZ4439**
- WHITE (WH). . . . . **AZ4440**
- BLACK (BK). . . . . **AZ4441**



# MONA 12W

Exposed downlights



## MONA 12W 3000K / 4000K

LED integrated

voltage: 230V

LED 12W 1000lm 3000/4000K

IP20



LED

technical


installation place

specification

beam angle: 120°

### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4538**
- 3000K BLACK (BK) . . . . . **AZ4537**
- 4000K WHITE (WH) . . . . . **AZ4540**
- 4000K BLACK (BK) . . . . . **AZ4539**





**MONA 18W 3000K**


LED integrated

voltage: 230V	LED 18W 1500lm 3000K
IP20	<b>LED</b>
technical specification	installation place
	beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4546**
- 3000K BLACK (BK) . . . . . **AZ4545**



# MONA SPOT 12W

84

Exposed downlights



## MONA SPOT 12W 3000K / 4000K

LED integrated

voltage: 230V

LED 12W 800lm 3000K

IP20

LED 12W 1000lm 4000K

**LED**

technical

installation place  inlet opening 7,5cm



specification

beam angle: 120°



### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4532**
- 3000K BLACK (BK) . . . . . **AZ4531**
- 4000K WHITE (WH) . . . . . **AZ4534**
- 4000K BLACK (BK) . . . . . **AZ4533**





## MONA SPOT 18W 3000K

LED integrated

voltage: 230V

LED 18W 1300lm 3000K

IP20

**LED**

technical specification





installation place  inlet opening 9,5cm

beam angle: 120°


COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4536**
- 3000K BLACK (BK) . . . . . **AZ4535**





## Exposed downlights




**SANTOS 3000K**

LED integrated

voltage: 230V	LED 12W 800lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 37°	

COLOUR / NEW INDEX NO.

- WHITE / GOLD (WH/GO) . . . . . **AZ2417**
- BLACK / GOLD (BK/GO) . . . . . **AZ2416**
- WHITE / WHITE (WH/WH) . . . . . **AZ4182**
- BLACK / BLACK (BK/BK) . . . . . **AZ4181**




**SANTOS GU10**

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	


COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4201**
- WHITE (WH) . . . . . **AZ4200**



\* - EXPLANATION SHORTCUT PAGE 2 (E)

new



BK \*



ECO ALEX V.2

bulb not included 

voltage: 230V	ES111 1 x MAX 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4318**
- BLACK (BK) . . . . . **AZ4317**



WH

BK



# GALILEO 1 PENDANT

88

Exposed downlights



## GALILEO 1 PENDANT 3000K

LED integrated

voltage: 230V

LED 15W 750lm 3000K

IP20

technical

specification




installation place

adjustable beam angle: 12°÷ 35°



COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4068**
- BLACK (BK) . . . . . **AZ4069**



12° 35°

ADJUSTABLE BEAM ANGLE



\* - EXPLANATION SHORTCUT PAGE 2 (E)


# GALILEO 1 PENDANT

Exposed downlights



# EIGER IP54

Exposed downlights



## EIGER IP54

bulb not included

voltage: 230V	GU10 1x MAX 50W
IP54	installation place

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4260**
- BLACK / GOLD (BK/GO) . . . . . **AZ4261**
- WHITE (WH) . . . . . **AZ4259**



RECOMMENDED FOR DROPPED CEILING



BK

WH



BK / GO

\* - EXPLANATION SHORTCUT PAGE 2 (E)

new



WH \*


**ECO ALIX V2.**

bulb not included

voltage: 230V	ES111 1x Max. 16W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4320**
- BLACK (BK) . . . . . **AZ4319**



WH

BK



# PAOLA 230V

Exposed downlights



BK \*

## PAOLA 1 230V

bulb not included

voltage: 230V	connect 1x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4128**
- BLACK (BK) . . . . . **AZ4130**



WH \*



## PAOLA 2 230V

bulb not included

voltage: 230V	connect 2x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4132**
- BLACK (BK) . . . . . **AZ4134**



WH

WH

BK

BK

\* - EXPLANATION SHORTCUT PAGE 2 (E)

## PAOLA 230V

Exposed downlights

93





## Exposed downlights




**TORONTO 1 3000K**

LED integrated

voltage: 230V	LED 10W 700lm 3000K		
IP20	installation place		
technical specification	beam angle: 60°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4070**
- BLACK (BK) . . . . . **AZ4064**



WH



BK





**TORONTO 2 3000K**

LED integrated

voltage: 230V	LED 2x10W 1000lm 3000K		
IP20	installation place		
technical specification	beam angle: 60°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4072**
- BLACK (BK) . . . . . **AZ4065**



WH



BK



\* - EXPLANATION SHORTCUT PAGE 2 (E)



## TORONTO 1 SPOT 3000K

LED integrated

voltage: 230V

LED 15W 700lm 3000K

IP20

technical  
specification




installation place  inlet opening 16,2cm

beam angle: 60°

**LED**

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4071**
- BLACK (BK) . . . . . **AZ4063**



TILT 90°

ROTATION 360°



# LINNEA PENDANT

Exposed downlights




**LINNEA 112 PENDANT CCT**

LED integrated

voltage: 230V	LED 48W 2700lm		<b>LED</b>
IP20	3000K/4000K/5500K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4570**
- BLACK (BK) . . . . . **AZ4569**





**LINNEA 140 PENDANT CCT**

LED integrated

voltage: 230V	LED 54W 3100lm		<b>LED</b>
IP20	3000K/4000K/5500K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4572**
- BLACK (BK) . . . . . **AZ4571**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# OJOS

## Exposed downlights





**OJOS 1**

LED integrated

voltage: 230V	LED 9W 700lm 3000K	
IP20	installation place	
technical specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4196**
- BLACK (BK) . . . . . **AZ4197**




**OJOS 2**

LED integrated

voltage: 230V	LED 12W 950lm 3000K	
IP20	installation place	
technical specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4198**
- BLACK (BK) . . . . . **AZ4199**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# MAKALU

Exposed downlights



BK \*


## MAKALU 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4210**
- WHITE (WH) . . . . . **AZ4211**



WH \*


## MAKALU 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4212**
- WHITE (WH) . . . . . **AZ4213**



BK \*


## MAKALU 3

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4214**
- WHITE (WH) . . . . . **AZ4215**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# SKYE

Exposed downlights



## SKYE 3000K

LED integrated

voltage: 230V	LED 12W 950lm 3000K	
IP20	installation place	
technical specification	beam angle: 60°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4517**
- BLACK (BK) . . . . . **AZ4518**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK \*

## SKYE PENDANT 3000K

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP20



**LED**

technical


installation place

specification

beam angle: 60°


COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4522**
- BLACK (BK) . . . . . **AZ4521**



TILT 40°

ROTATION 360°



WH

BK



# MONZA S CCT

Exposed downlights




## MONZA S 22 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 20W 1400lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4770**
- WHITE (WH) . . . . . **AZ4769**
- CHAMPAGNE (CHA) . . . . . **AZ4768**





## MONZA S 30 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 30W 2100lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4773**
- WHITE (WH) . . . . . **AZ4772**
- CHAMPAGNE (CHA) . . . . . **AZ4771**




## MONZA S 40 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 50W 3500lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4776**
- WHITE (WH) . . . . . **AZ4775**
- CHAMPAGNE (CHA) . . . . . **AZ4774**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# MONZA R CCT

Exposed downlights



**MONZA R 22 CCT + REMOTE CONTROL**

LED integrated

voltage: 230V	LED 20W 1400lm CCT		
IP20	installation place		
technical specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4758**
- WHITE (WH) . . . . . **AZ4757**
- CHAMPAGNE (CHA) . . . . . **AZ4756**




**MONZA R 30 CCT + REMOTE CONTROL**

LED integrated

voltage: 230V	LED 30W 2100lm CCT		
IP20	installation place		
technical specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4761**
- WHITE (WH) . . . . . **AZ4760**
- CHAMPAGNE (CHA) . . . . . **AZ4759**




**MONZA R 40 CCT + REMOTE CONTROL**

LED integrated

voltage: 230V	LED 50W 3500lm CCT		
IP20	installation place		
technical specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4764**
- WHITE (WH) . . . . . **AZ4763**
- CHAMPAGNE (CHA) . . . . . **AZ4762**




**MONZA R 50 CCT + REMOTE CONTROL**

LED integrated

voltage: 230V	LED 80W 5500lm CCT		
IP20	installation place		
technical specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4767**
- WHITE (WH) . . . . . **AZ4766**
- CHAMPAGNE (CHA) . . . . . **AZ4765**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



**MONZA PENDANT ACCESORIES\*\***

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3453**
- BLACK (BK) . . . . . **AZ3454**
- CHAMPAGNE (CHA) . . . . . **AZ4830**



\*\* - ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM



**EXCLUSIVE**  
DOWNLIGHTS

# EXCLUSIVE

## downlights



- 110 LORENZA
- 111 LORENZO
- 112 ESTER SQUARE
- 114 ESTER ROUND



# LORENZA

Exclusive downlights




## LORENZA

bulb not included


voltage: 230V	connect GU10 1x Max 50W
IP20	installation place
	inlet opening  Ø 7,0cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) . . . . . **AZ1476**
- CHROME (CH) . . . . . **AZ1475**
- BLACK (BK) . . . . . **AZ4174**





\* - EXPLANATION SHORTCUT PAGE 2 (E)




## LORENZO

bulb not included

voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place <input type="checkbox"/>
	inlet opening  7,0cm

### COLOUR / NEW INDEX NO.

- WHITE MATT (WH) . . . . . **AZ1496**
- CHROME (CH) . . . . . **AZ1617**
- BLACK (BK) . . . . . **AZ4173**



# ESTER SQUARE

Exclusive downlights




**ESTER SQUARE 1**

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening  5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . **AZ4410**
- GOLD (GO) . . . . . **AZ4412**
- BLACK (BK) . . . . . **AZ4411**



**ESTER SQUARE 2**

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening  5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . **AZ4413**
- GOLD (GO) . . . . . **AZ4415**
- BLACK (BK) . . . . . **AZ4414**



\* - EXPLANATION SHORTCUT PAGE 2 (E)

# ESTER SQUARE

Exclusive downlights

113



# ESTER ROUND

Exclusive downlights





## ESTER ROUND 1

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
installation place	
inlet opening  Ø 6,5cm	

### COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . **AZ1449**
- GOLD (GO) . . . . . **AZ1450**
- BLACK (BK) . . . . . **AZ4175**




## ESTER ROUND 2

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
installation place	
inlet opening  Ø 6,5cm	

### COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . **AZ1451**
- GOLD (GO) . . . . . **AZ2467**
- BLACK (BK) . . . . . **AZ4176**




\* - EXPLANATION SHORTCUT PAGE 2 (E)

# ESTER ROUND

Exclusive downlights


115





**DOWN**LIGHTS

# DOWNlights




- 118 AIDA ROUND
- 119 AIDA SQUARE
- 120 MALTA R
- 124 GALATA IP44
- 125 KASTORIA IP44
- 126 LAMIR R IP44
- 127 LAMIR S IP44
- 128 OKA
- 129 PABLO IP54
- 130 CARLO
- 131 EDITTA
- 132 MILET
- 133 TITO IP54
- 134 MINORKA
- 136 REMI
- 137 ITAKA



# AIDA ROUND



Downlights



BK \*

## AIDA ROUND 9W 3000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K



IP20




technical specification

installation place  inlet opening 9,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4218**
- BLACK (BK) . . . . . **AZ4220**



Ø 10,2



WH \*

## AIDA ROUND 16W 3000K

LED integrated

voltage: 230V

LED 16W 1300lm 3000K



IP20



technical specification

installation place  inlet opening 13,5cm


beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4222**
- BLACK (BK) . . . . . **AZ4224**



Ø 14,5



BK

BK

WH

WH

\* - EXPLANATION SHORTCUT PAGE 2 (E)



**AIDA SQUARE 9W 3000K**

LED integrated

voltage: 230V

LED 9W 700lm 3000K

**LED**

IP20







technical specification

installation place  inlet opening 9,1x9,1cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4226**
- BLACK (BK) . . . . . **AZ4227**



**AIDA SQUARE 16W 3000K**

LED integrated

voltage: 230V

LED 16W 1300lm 3000K

**LED**

IP20




technical specification

installation place  inlet opening 13x13cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4228**
- BLACK (BK) . . . . . **AZ4229**



# MALTA R

120

## Downlights



**MALTA R 18 3000K / 4000K**

LED integrated

voltage: 230V	LED 12W 1100lm 3000K	
IP20	LED 12W 1100lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4233**
- 3000K BLACK (BK) . . . . . **AZ4235**
- 4000K WHITE (WH) . . . . . **AZ4234**
- 4000K BLACK (BK) . . . . . **AZ4236**



**MALTA R 23 3000K / 4000K**

LED integrated

voltage: 230V	LED 18W 1600lm 3000K	
IP20	LED 18W 1600lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4237**
- 3000K BLACK (BK) . . . . . **AZ4239**
- 4000K WHITE (WH) . . . . . **AZ4238**
- 4000K BLACK (BK) . . . . . **AZ4240**




**MALTA R 30 3000K / 4000K**

LED integrated

voltage: 230V	LED 24W 2200lm 3000K	
IP20	LED 24W 2200lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4241**
- 3000K BLACK (BK) . . . . . **AZ4243**
- 4000K WHITE (WH) . . . . . **AZ4242**
- 4000K BLACK (BK) . . . . . **AZ4244**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



## Downlights



**MALTA R 40 3000K / 4000K**

LED integrated

voltage: 230V	LED 32W 2700lm 3000K	
IP20	LED 32W 2700lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4245**
- 3000K BLACK (BK) . . . . . **AZ4247**
- 4000K WHITE (WH) . . . . . **AZ4246**
- 4000K BLACK (BK) . . . . . **AZ4248**





**MALTA R 50 3000K / 4000K**

LED integrated

voltage: 230V	LED 42W 3400lm 3000K	
IP20	LED 42W 3200lm 3000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4249**
- 3000K BLACK (BK) . . . . . **AZ4251**
- 4000K WHITE (WH) . . . . . **AZ4250**
- 4000K BLACK (BK) . . . . . **AZ4252**




**MALTA R 60 3000K / 4000K**

LED integrated

voltage: 230V	LED 48W 4100lm 3000K	
IP20	LED 48W 4400lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4253**
- 3000K BLACK (BK) . . . . . **AZ4255**
- 4000K WHITE (WH) . . . . . **AZ4254**
- 4000K BLACK (BK) . . . . . **AZ4256**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# GALATA IP44

124

Downlights



## GALATA R IP44 3000K / 4000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP44



LED 9W 700lm 4000K

**LED**

technical

installation place  inlet opening 6,8cm

specification

beam angle: 120°

### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4380**
- 3000K BLACK (BK) . . . . . **AZ4379**
- 4000K WHITE (WH) . . . . . **AZ4382**
- 4000K BLACK (BK) . . . . . **AZ4381**



7,9



\* - EXPLANATION SHORTCUT PAGE 2 (E)



CH \*



CH



BK



GO

## KASTORIA IP44

LED integrated

voltage: 230V

LED 7W 550lm 3000K

**LED**

IP44



technical


installation place inlet opening 3,9cm

specification

beam angle: 120°

### COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . **AZ4391**
- BLACK (BK) . . . . . **AZ4389**
- GOLD (GO) . . . . . **AZ4390**





# LAMIR R IP44



Downlights



**LAMIR R 9 IP44 3000K / 4000K**

LED integrated

voltage: 230V	LED 9W 700lm 3000K	
IP44	LED 9W 700lm 4000K	
technical specification	installation place <input type="checkbox"/>	inlet opening  7cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4384**
- 4000K WHITE (WH) . . . . . **AZ4383**




**LAMIR R 12 IP44 3000K / 4000K**

LED integrated

voltage: 230V	LED 16W 1300lm 3000K	
IP44	LED 16W 1300lm 4000K	
technical specification	installation place <input type="checkbox"/>	inlet opening  10cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4385**
- 4000K WHITE (WH) . . . . . **AZ4386**




**LAMIR R 17 DIMM IP44 3000K / 4000K**

LED integrated

voltage: 230V	LED 22W DIMM 1800lm 3000K	
IP44	LED 22W DIMM 1800lm 4000K	
technical specification	installation place <input type="checkbox"/>	inlet opening  15cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4387**
- 4000K WHITE (WH) . . . . . **AZ4392**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



LAMIR S 17 DIMM IP44 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical  
specification



LED 22W DIMM 1800lm 3000K DIMM

LED 22W DIMM 1800lm 4000K DIMM




installation place inlet opening 15x15cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4388**
- 4000K WHITE (WH) . . . . . **AZ4393**





WH \*

**OKA AL 3000K / 4000K**

LED integrated

voltage: 230V

IP20

technical

specification



LED 3W 3000K RA>90 250lm

LED 3W 4000K RA>90 260lm


installation place

beam angle: 66° inlet opening Ø 3cm



COLOUR / NEW INDEX NO.

- WHITE 3000K (WH) . . . . . **AZ2232**
- WHITE 4000K (WH) . . . . . **AZ2233**



AC \*

**OKA AC 3000K / 4000K**

LED integrated

voltage: 230V

IP20

technical

specification



LED 3W 3000K RA>90 250lm

LED 3W 4000K RA>90 260lm


installation place

beam angle: 66° inlet opening Ø 3cm



COLOUR / NEW INDEX NO.


- ACRYLIC 3000K (AC) . . . . . **AZ2234**
- ACRYLIC 4000K (AC) . . . . . **AZ2235**
- BLACK 3000K (BK) . . . . . **AZ4171**
- BLACK 4000K (BK) . . . . . **AZ4172**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



ALU \*



WH



BK



ALU

new


## PABLO

bulb not included

voltage: 230V	GU10 1x 50W only LED
IP54	
	installation place
	inlet opening  6cm

### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ1015**
- WHITE (WH) . . . . . **AZ0817**
- BLACK 4000K (AC) . . . . . **AZ4140**



# CARLO

## Downlights





### CARLO

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening  Ø 7,7cm

#### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0804**
- WHITE (WH) . . . . . **AZ0805**
- BLACK (BK) . . . . . **AZ4141**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## EDITTA

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening  Ø 7,7cm


COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0806**
- WHITE (WH) . . . . . **AZ0807**
- BLACK (BK) . . . . . **AZ4144**



# MILET

## Downlights





### MILET

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	installation place <input checked="" type="checkbox"/>
	inlet opening  7,2cm

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4075**
- BLACK (BK) . . . . . **AZ4076**



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## TITO

bulb not included

voltage: 230V	GU10 1x 40W only LED
IP54	
	installation place
	inlet opening  6cm

### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0814**
- WHITE (WH) . . . . . **AZ0815**
- BLACK (BK) . . . . . **AZ4139**





# MINORKA

## Downlights





### MINORKA

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening  9cm

#### COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) . . . . . **AZ1362**
- BLACK / GOLD (BK/GO) . . . . . **AZ2802**
- WHITE / WHITE (WH/WH) . . . . . **AZ2801**
- BLACK / BLACK (BK/BK) . . . . . **AZ4142**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# REMI

Downlights




## REMI

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening  9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1363**
- BLACK (BK) . . . . . **AZ4143**



TILT 40°



new



BK

WH



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK \*

ITAKA

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20	installation place	
	inlet opening	7,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4073**
- BLACK (BK) . . . . . **AZ4074**



BK

WH






# INDOOR WALL LAMPS

# INDOOR

wall lamps



- 140 VEGA
- 141 VERA
- 142 LUMI
- 143 LUMI FLEX
- 144 VELIA ROUND
- 145 VELIA SQUARE

# VEGA

Indoor wall lamps



WH \*




## VEGA

bulb not included

voltage: 230V	connect G9 1x Max. 40W	
IP20		
	installation place	

### COLOUR / NEW INDEX NO.

- BLACK / GOLD (BK / GO) . . . . . **AZ1709**
- WHITE (WH). . . . . **AZ1708**
- CHROME (CH). . . . . **AZ1758**
- ANODISED GOLD (AGO). . . . . **AZ1746**
- BLACK / BLACK (BK / BK) . . . . . **AZ4145**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



VERA

LED integrated

voltage: 230V

LED 6W+3W 510lm+255lm 3000K



IP20



technical


installation place

specification

beam angle: 20°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4417**
- BLACK (BK) . . . . . **AZ3201**



switch


usb socket





# LUMI

Indoor wall lamps




## LUMI

LED integrated

voltage: 230V	LED 5W 500lm 3000K		
IP20	technical specification		
technical specification	installation place		
	adjustable beam angle: 19°÷ 70°		

### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4556**
- BLACK (BK) . . . . . **AZ4555**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



LUMI FLEX

LED integrated

voltage: 230V

LED 5W 500lm 3000K

IP20



technical


installation place

specification

adjustable beam angle: 19°÷ 70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING(WH) . . . . . **AZ4562**
- BLACK FINISH SHINING (BK) . . . . . **AZ4561**



19° 70°




\* - EXPLANATION SHORTCUT PAGE 2 (E)



# VELIA ROUND

Indoor wall lamps



## VELIA ROUND 2

bulb not included 



voltage: 230V	GU10 2x Max 50W 
IP20	
	installation place 

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4398**
- BLACK (BK) . . . . . **AZ4399**
- BRASS (BS) . . . . . **AZ4397**





\* - EXPLANATION SHORTCUT PAGE 2 (E)




## VELIA SQUARE 2

bulb not included 

voltage: 230V	GU10 2x Max 50W 
IP20	installation place 

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4403**
- BLACK (BK) . . . . . **AZ4401**
- BRASS (BS) . . . . . **AZ4402**





Ra (CRI) - Colour Rendering Index **EU standard – Ra  $\geq$  80**  
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra  $\geq$  80**  
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Standard EU – Ra  $\geq$  80**  
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra  $\geq$  80**  
Nejlepší index podání barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).  
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).  
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.  
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja  
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.  
Záruční doba se počítá od dátumu zakoupení zboží.



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.

Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modèles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent légèrement varier par rapport à celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.

Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogukat a termékskála, a dizájn és a modellek változtatására.

Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.

Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.

Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.